

PRODUCT CATALOGUE

2025|2026

ASLAN

Self-adhesive films for
sign making & digital printing



ASLAN®

EXPERTISE IN SELF-ADHESIVE FILMS

ASLAN®

75 YEARS ANNIVERSARY

1950-2025

Since 1950 leading manufacturer ASLAN Selbstklebefolien GmbH has been successfully developing, producing and distributing self-adhesive films for a wide variety of applications. As a specialist in self-adhesive films, ASLAN offers innovative and high-quality branded products with the quality assurance of being "Made in Germany".

Our comprehensive product range offers self-adhesive films for various markets and applications such as graphic applications (sign making and digital printing), painting and lacquering, sandblasting, architecture and interior design, office and organisation, the production of lamp shades, book protection and repair, hobby and crafts, medical technology, industrial applications and contract coating. The applications for ASLAN self-adhesive films are as varied as the needs of the markets they serve.

ASLAN focuses on developing customised solutions rather than producing high-volume products for mass markets. Individual customer needs and market requirements continuously generate new ideas which ASLAN turns into high-quality self-adhesive films. Stringent quality standards and "Expertise in self-adhesive films" form a solid basis for the future growth of ASLAN.

A wide portfolio of branded products and custom self-adhesive solutions

Today the ASLAN brand covers a wide portfolio of self-adhesive films for an extremely broad variety of applications:

- Sign making & digital printing
- Retail & shop fitting
- Industrial applications
- Painting & lacquering
- Lamp shades
- Medical technology
- Sandblasting
- Books, office & education
- Architecture & interior design
- Hobby & crafts

Our product range is as varied as these applications. Eco-friendly solutions for a growing market have their place alongside customised products for highly specific applications:

- Whiteboard- & Tafelfolien
- Coloured films
- Mounting films & tapes
- Whiteboard & blackboard films
- Digital printing & laminating films
- Book protection films
- Glass decoration films
- Stencil films
- Lamp shade films
- Metal and special effect films
- Double-sided self-adhesive films
- Various films for special applications

In addition to a comprehensive range of standard products, ASLAN also offers fully customised and environmentally friendly adhesive coatings to its customers.

Tailor-made solutions are developed in dialogue with the customer. Customers can choose from a variety of materials, liners and adhesives or have their own materials coated – with the adhesive properties they specify or in consultation with the experts at ASLAN.

75 years of experience –

Experience the **exceptional.**

”

„Where quality meets speciality.“ To keep it short and simple: This slogan stands for everything ASLAN represents, developing and manufacturing high-quality self-adhesive films for 75 years now. Our unique niche products are being distributed worldwide and are being used where one needs more than ordinary.

We are proud of these values. Our employees at ASLAN work every day to offer the best products in the market, combined with a high level of customer service orientation.

But we can do more than that –
challenge us.

“

Martin Geveke
Managing Director

BLACKBOARD AND WHITEBOARD FILMS	
Blackboard films	4
Ferrous films	5
Whiteboard films	6
Rear projection films	7
GLASS DECORATION FILMS	
NEW Dichroic glass decoration filmswith etched glass effect	10
Dichroic glass decoration films	11
Printable glass decoration films for easy dry application	12
Glass decoration films for cutting plotters and universal applications	13
METAL EFFECT AND SPECIAL EFFECT FILMS	
NEW Holographic metal effect film with line effect	16
Holographic metal effect film	17
Printable metal and special effect films	18
Metal and special effect films for cut graphics	19
Mirror effect films in gold and silver	19
Opaque dichroic films with four effects	19
Glittering self-adhesive films	20
Flocked self-adhesive films	21
COLOURED FILMS	
Transparent coloured films	24
Opaque coloured films	25
Fluorescent films	26
DIGITAL PRINTING FILMS	
NEW Hi!Tack digital printing films	28
UltraTack digital printing films	29
Digital printing film with monstrous strong adhesive	30
Double-sided blackout film	31
Highly translucent digital printing film for illuminated signs	31
Digital printing films for walls and facades	32
Digital printing films for floor graphics	33
Special advantages of the ASLAN Floor Graphics solutions	34
Digital printing film for applications on PVC materials	35
Digital printing films for applications on glass	35
PROTECTIVE LAMINATES	
NEW Robust protective laminate for floor graphics	38
Floor graphics laminates	39
Protective laminate for heavy-duty areas	40
Lamination film for refining of prints and surfaces	40
Lamination film for increased colour brilliance	41
Anti-graffiti laminates	42
Protective film for flat and folding maps	44
SUSTAINABLE FILMS - LOOPPET-SERIES	
Material comparison guide	46
More sustainable films made from recycled PET	48
STENCIL FILMS	
Stencil films for painting and lacquering	52
Stencil films for sandblasting works	53
SPECIAL FILMS FOR LIGHT ADVERTISING	
Opaque blackout films for light boxes	56
Diffuser film	56
DOUBLE-SIDED SELF-ADHESIVE FILMS	58
MOUNTING FILM AND TAPES	60
TOOLS	62
ALL FILMS FROM A - Z	64


Caption:

PVC free film

PVC free film made from recycled polyester

Film with ASLAN Dryapply technology

Film with fire rating



ASLAN's self-adhesive blackboard, whiteboard and ferrous films can be used to turn smooth surfaces into re-writable, dry-wipeable and even magnet receptive surfaces for communication.

To do this, the high-quality films are simply affixed to walls, cupboards or doors. Thanks to the virtually endless variety of options for combining ASLAN films, you can give your creativity free rein and design your own customised memoboard. Coloured boards or whiteboards can be created just as easily as memoboards with a logo or design printed on them.

Create tailor-made communication boards for offices, seminar rooms, schools, kindergartens, restaurants or hotels!

BLACKBOARD AND WHITEBOARD FILMS



BLACKBOARD FILMS

Our high-quality self-adhesive blackboard films are the ideal alternative to heavy chalkboards or blackboard paint. These films can be applied to all smooth surfaces quickly and cleanly and removed again just as easily. Writing with chalk or liquid chalk pens (see table) does not leave any ghosting or shadows – this makes them the ideal medium for frequently changing messages.

Unique: In addition to designs in traditional black, a clear chalkboard film is also available offering you complete design freedom. Simply laminate over a print, coloured film or a flat piece of furniture and your custom-designed chalkboard is ready to go!

Product	Characteristics	Colour	Printability	Details
PremiumBlackboard ASLAN BB 910	Blackboard film for chalk and liquid chalk	● Black	UV curable inks	
Blackboard ASLAN C 61	Blackboard film for chalk			
Blackboard AntiScratch ASLAN CR 62	Blackboard film, especially scratch-resistant, for chalk			
ClearChalk ASLAN CR 63	Blackboard film for writings with chalk and ASLAN C-pen (liquid chalk pen)	○ Clear		



MAGNET RECEPTIVE, SELF-ADHESIVE FERROUS FILMS

FerroSoft ASLAN FF 410 | Magnet receptive, self-adhesive ferrous films, anthracite coloured

This self-adhesive ferrous film makes any smooth surface suitable for placing magnets. It can be cut easily into any imaginable shape or size and can be combined just as easily with other self-adhesive ASLAN films to create a multi-functional whiteboard, blackboard or coloured memoboard.

FerroSoft Print ASLAN FF 480 | Printable, magnet receptive, self-adhesive ferrous films in white

With this white, matt ferrous film containing iron, any surface becomes suitable for placing magnets. It is digitally printable, allowing you to create custom-designed magnet boards. In combination with our clear chalkboard and whiteboard films it can additionally be written on with chalk or whiteboard markers.

FerroSoft Whiteboard ASLAN FF 550 | FerroSoft Whiteboard Matt ASLAN FF 490 Self-adhesive ferrous film with high-quality whiteboard finish

These films are offering a ready-made 2-in-1-solution: They combine the magnet receptive function of our flexible ASLAN FerroSoft films with the easy write and wipe function of our whiteboard films. Thus, you can create a high-quality, multi-functional communication surface in just a single pass.

FerroSoft Blackboard ASLAN FF 540 | Self-adhesive, magnet receptive ferrous film with high-quality blackboard finish

The **FerroSoft Blackboard** ASLAN FF 540 combines the magnet receptivity of our FerroSoft range with the ideal writability and cleaning of our Premium Blackboard. It can be written by using chalk and liquid chalk. Applied to a smooth surface a high-quality, magnet receptive and scratch-resistant blackboard is done.



Product	Characteristics	Colour	Printability	Details
FerroSoft ASLAN FF 410	Ferrous film, very flexible	● Anthracite	-	
FerroSoft Print ASLAN FF 480	Ferrous film, very flexible	○ White, matt	Solvent-, Eco-Solvent-, Latex- and UV curable inks	
FerroSoft Whiteboard Matt ASLAN FF 490	Ferrous film, flexible, with whiteboard finish, suitable for projections	○ White, matt	-	
FerroSoft Whiteboard ASLAN FF 550	Ferrous film, flexible, with whiteboard finish	○ White, glossy	-	
FerroSoft Blackboard ASLAN FF 540	Ferrous film, flexible, with blackboard finish	● Black	UV curable inks	

WHITEBOARD FILMS

GLOSSY WHITEBOARD FILMS

Especially scratch-resistant and high-quality self-adhesive films for writing with whiteboard markers

These films can be applied onto any smooth surface, such as doors or walls. Writing with whiteboard markers can be easily wiped off dryly using a soft cloth. Even frequent rewriting causes no ghosting or shadows.

Whiteboard ASLAN WB 995 | White

WhiteboardColour ASLAN WBC 996 | In 6 colours

Clearboard ASLAN CB 90  | Clear

LoopPET Clearboard ASLAN CRB 91  | Clear



GLOSSY WHITEBOARD FILMS FOR DRY APPLICATION

High-quality self-adhesive whiteboard films with air egress channels for a bubble-free dry application onto large areas

These films are extremely scratch-resistant and can be written on any number of times with whiteboard markers – with no trace of ghosting or shadows.

Whiteboard Dryapply ASLAN WBL 995 | White glossy, PVC/PET

Whiteboard PP Dryapply ASLAN WBL 998  | White, glossy, PVC free

MATT WHITEBOARD FILMS

Particularly high-quality self-adhesive whiteboard films – suitable for projections

These self-adhesive films can be applied quickly and easily onto all smooth surfaces, flexibly creating additional media projection options. Writing with whiteboard markers can be easily wiped off dryly using a microfibre cloth, without leaving any ghosting and shadows. A whiteboard and a projection surface in one!

WhiteboardMatt ASLAN WB 975 | White, matt

ClearboardMatt ASLAN CB 75 | Clear, matt

WHITEBOARD GLASS DECORATION FILM

Create presentation areas by turning just about any transparent surface into a whiteboard! With the ASLAN glass decoration film you can create classy, decorative privacy screens with a whiteboard function – in any desired shape and size. Thanks to the ASLAN Dryapply technology, the film can be dry-applied easily and can be written on with whiteboard markers any number of times without leaving shadows or ghosting.

EtchedBoard Dryapply ASLAN EBL 300  | Sandblasted look, easy to apply

WHITEBOARD FILMS

Product	Characteristics	Colour	Details
WhiteboardMatt ASLAN WB 975	Scratch-resistant, low-reflection whiteboard film, suitable for projection	 White, matt	
Whiteboard ASLAN WB 995	Whiteboard film, scratch-resistant	 White, glossy	
Whiteboard Dryapply ASLAN WBL 995	Whiteboard film, scratch-resistant, for easy dry application		
Whiteboard PP Dryapply ASLAN WBL 998	Whiteboard film, scratch-resistant, for easy dry application, PVC free		 
Clearboard ASLAN CB 90	Whiteboard film, scratch-resistant	 Clear, glossy	
LoopPET Clearboard ASLAN CRB 91	Whiteboard film, scratch-resistant, made with 70 % post-consumer recycled polyester		 
ClearboardMatt ASLAN CB 75	Scratch-resistant low-reflection whiteboard film	 Clear, matt	
EtchedBoard Dryapply ASLAN EBL 300	Glass decoration film with whiteboard finish	 Sandblasted look, matt	
WhiteboardColour ASLAN WBC 996	Whiteboard film, scratch-resistant, coloured	 Orange, silver, green, blue, pink, yellow glossy – additional colours are available on request	

SELF-ADHESIVE REAR PROJECTION FILMS




RearProjection ASLAN RP 35
Translucent rear projection film in white

RearProjection Transparent ASLAN RP 36 
Clear rear projection film

The ASLAN rear projection films are the ideal medium for striking, high-impact presentations of videos, live broadcasts and images. Applied onto a rigid, clear surface, they create a projection surface that can be operated with standard projectors as well as interactive projection systems.

Both, the translucent as well as the clear variant, are characterised by their uniform reproduction quality, visibility even in bright environments and particular high colour brilliance with applications behind glass.

The clear version provides a clear view: Backgrounds, for instance objects exhibited behind a shop window, can be incorporated creatively into multimedia design concepts. When in use with a projector, the film provides superb rendition.



Product	Characteristics	Colour	Details
RearProjection ASLAN RP 35	Rear projection film	 White, translucent	
RearProjection Transparent ASLAN RP 36		 Clear	



FerroSoft Print ASLAN FF 480

QUICKFINDER BLACKBOARD
AND WHITEBOARD FILMS

	INDOOR	OUTDOOR	ON GLASS AND SMOOTH SURFACES	PERMANENT	SEMI-PERMANENT	REMOVABLE	DRYAPPLY	(ECO-) SOLVENT	LATEX	UV CURABLE INKS	PVC FREE	PCR PET	FIRE RATING EN 13501-1
PRODUCT	APPLICATION			ADHESIVE				PRINTABILITY			DETAILS		
PremiumBlackboard ASLAN BB 910	•	•	•		•					•			•
Blackboard ASLAN C 61	•	•	•		•					•			•
Blackboard AntiScratch ASLAN CR 62	•	•	•		•					•			•
ClearChalk ASLAN CR 63	•	•	•		•					•			•
FerroSoft ASLAN FF 410	•		•	•							•		•
FerroSoft Print ASLAN FF 480	•		•	•				•	•	•			•
FerroSoft Whiteboard Matt ASLAN FF 490	•		•	•									•
FerroSoft Whiteboard ASLAN FF 550	•		•	•							•		•
FerroSoft Blackboard ASLAN FF 540	•		•	•						•			•
WhiteboardMatt ASLAN WB 975	•	•	•		•								•
Whiteboard ASLAN WB 995	•	•	•		•								•
Whiteboard Dryapply ASLAN WBL 995	•	•	•		•		•						•
Whiteboard PP Dryapply ASLAN WBL 998	•		•		•		•				•		•
Clearboard ASLAN CB 90	•	•	•	•							•		•
ClearboardMatt ASLAN CB 75	•	•	•		•								•
LoopPET Clearboard ASLAN CRB 91	•	•	•	•							•	•	•
EtchedBoard Dryapply ASLAN EBL 300	•		•		•		•						•
Whiteboard Colour ASLAN WBC 996	•		•		•								•
RearProjection ASLAN RP 35	•	•	•		•								•
RearProjection Transparent ASLAN RP 36	•	•	•		•						•		•

ASLAN's comprehensive range of self-adhesive glass decoration films offers a unique breadth of effects and colours for the graphics market, allowing striking and high-quality decoration both indoors and outdoors.

Thanks to their ease of use, these films can be easily applied in any room. ASLAN Dryapply Technology makes application to large surfaces especially user-friendly.

Lending glass surfaces a special look and structure, these self-adhesive films can be digitally printed and/or plotted. For safe use in public areas, many glass decoration films from ASLAN are fire safety classified.

GLASS

DECORATION FILMS

NEW DICHROIC GLASS DECORATION FILM WITH ETCHED GLASS EFFECT

ColourShift Etched ASLAN SE 77

A Matter of Perspective. With its silvery dichroic shimmer, this special effect film displays the lightness of soap bubbles and the elegance of a sandblasted look. The unique combination of fine, elegant glass decor effect and a fresh, dichroic finish creates a soft and inviting appearance. Available in two versions: Luna gently shifts from pink to blue depending on light and perspective, while Nova changes in a play of yellow to magenta. The front side is dichroic with an etched glass effect, while the back side is clear dichroic.

This innovative film is not only a visual highlight but can also be individually printed with (eco-)solvent, latex, and UV-curing inks - ideal for designing surfaces in store design, architecture, exhibition construction, and on smooth (glass) surfaces both indoors and outdoors. Whether used for large areas or as eye-catching lettering - the **ColourShift Etched ASLAN SE 77** attracts attention and leaves a lasting impression. It's the perfect film to set accents with your business, trade fair stand, or brand that will be remembered.

Equipped with the proven, long-term removable ASLAN glass decor adhesive, it allows effortless removal from glass and metal, even after many years.

Product advantages

- self-adhesive film with two different, silvery dichroic glass decorative effects
- creates a soft colour change when changing the viewing angle or lighting conditions
- printable with all common printing systems
- applications on glass lead to effects on both sides
- even with wet application, the application tape can be removed very quickl
- good removability of the film even after several years
- solvent-free adhesive system
- outdoor durability of up to three years



DICHROIC GLASS DECORATION FILMS

ColourShift ASLAN SE 70

Upgrade the look of your glass or other flat surfaces with ASLAN's self-adhesive dichroic films. They change colour smoothly - always depending on the viewing angle and lighting conditions.

Usable for cut graphics or full surface applications, both indoors and outdoors, on flat surfaces such as shop windows, acrylic, POP/ POS displays and more. The transparent versions create great, changing colour effects



Product	Characteristics	Colour	Printability	Details
ColourShift ASLAN SE 70	Dichroic film, transparent	Colour shifting film, Nebula and Solar	Nebula Solar	Solvent-, Eco-Solvent-, Latex- and UV curable inks
ColourShift Etched ASLAN SE 77	Etched glass effect, dichroic	Colour shifting film, Luna und Nova	Luna Nova	

GLASS DECORATION FILMS FOR EASY DRY APPLICATION



The unique ASLAN Dryapply Technology makes application particularly quick and easy. A special structure with fine air egress channels guarantees bubble-free application without using water. This structure, combined with a special adhesive, allows easy repositioning during application without risk of damage (stress whitening). After application, the adhesive wets out and the adhesive strength increases, making the film ideal even for long-term applications.

GLASS DECORATION FILMS FOR LARGE SURFACES AND PLOTTED LETTERING

Product	Characteristics	Colour	Details
Etched Dryapply ASLAN EL 300	Translucent film	Etched glass effect	 
SilverEtched Dryapply ASLAN EL 302		Silver etched glass effect	 
Dusted Dryapply ASLAN EL 200		Dusted effect	 
Milky Dryapply ASLAN EL 210		Milk glass effect	 

PRINTABLE GLASS DECORATION FILMS

Product	Characteristics	Colour	Printability	Details
PrintEtched Dryapply ASLAN DFL 300	Translucent film, printable	Etched glass effect	Solvent-, Eco-Solvent-, Latex- and UV curable inks	  
PrintSilverEtched Dryapply ASLAN DFL 302		Silver etched glass effect		  
PrintDusted Dryapply ASLAN DFL 200		Dusted effect		 
PrintMilky Dryapply ASLAN DFL 210		Milk glass effect		 
LoopPET Clear ASLAN DRP 18	Transparent polyester digital printing film made with 70 % post-consumer recycled polyester	Clear	Latex- and UV curable inks	  

Benefits of ASLAN Dryapply technology, an ideal combination of adhesive, backing and structural characteristics:

- Extremely fine air egress channels allow easy and bubble-free dry application
 - Can be easily repositioned during application, without risk of damage
 - Application tape can be removed immediately after application

Print Etched Dryapply ASLAN DFL 300

GLASS DECORATION FILMS FOR APPLICATION ON LARGE AREAS

AND CUTTING LETTERS



Our self-adhesive glass decoration films come in a whole range of effects and colours, giving any glass surface a high-quality look and creating striking effects. Shop windows, glass doors, mirrors and all other transparent surfaces can be enhanced simply and effectively. These universal glass decoration films can be applied both wet and dry.

Product	Characteristics	Colour
Etched ASLAN E 300	Translucent film	Etched glass effect
SilverEtched ASLAN E 302		Silver etched glass effect
Dusted ASLAN E 200		Dusted effect
Milky ASLAN E 210		Milk glass effect



SilverEtched ASLAN E 302



METAL- AND SPECIAL EFFECT FILMS

Self-adhesive metal effect films are ideal for creating premium signs and letterings. A large variety of colours and effects, as well as a choice between printable and plotter cutting films, offers an almost infinite number of creative applications.

The vast majority of metal and special effect films from ASLAN already does not require the use of PVC – they are therefore also safe for indoor applications.

Particularly eye-catching results can be achieved by combining classic colour film and glitter or flock film from ASLAN - colour your world!

QUICKFINDER GLASS DECORATION FILMS		INDOOR	OUTDOOR	ON GLASS AND SMOOTH SURFACES	ON FLOORS AND ROUGH SURFACES	PERMANENT	SEMI-PERMANENT	REMOVABLE	DRYAPPLY	(ECO-) SOLVENT	LATEX	UV CURABLE INKS	PVC FREE	PCR PET	FIRE RATING EN 13501
PRODUCT	APPLICATION	ADHESIVE				PRINTABILITY				DETAILS					
Etched Dryapply ASLAN EL 300	• • •	•	•	•	•	•	•	•	•	•	•	•	•	•	•
SilverEtched Dryapply ASLAN EL 302	• • •	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Dusted Dryapply ASLAN EL 200	• • •	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Milky Dryapply ASLAN EL 210	• • •	•	•	•	•	•	•	•	•	•	•	•	•	•	•
PrintEtched Dryapply ASLAN DFL 300	• • •	•	•	•	•	•	•	•	•	•	•	•	•	•	•
PrintSilverEtched Dryapply ASLAN DFL 302	• • •	•	•	•	•	•	•	•	•	•	•	•	•	•	•
PrintDusted Dryapply ASLAN DFL 200	• • •	•	•	•	•	•	•	•	•	•	•	•	•	•	•
PrintMilky Dryapply ASLAN DFL 210	• • •	•	•	•	•	•	•	•	•	•	•	•	•	•	•
LoopPET Clear ASLAN DRP 18	• • •	•	•	•	•	•	•	•	•	•	•	•	•	•	•
ColourShift ASLAN SE 70	• • •	•	•	•	•	•	•	•	•	•	•	•	•	•	•
ColourShift Etched ASLAN SE 77	• • •	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Etched ASLAN E 300	• • •	•	•	•	•	•	•	•	•	•	•	•	•	•	•
SilverEtched ASLAN E 302	• • •	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Dusted ASLAN E 200	• • •	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Milky ASLAN E 210	• • •	•	•	•	•	•	•	•	•	•	•	•	•	•	•

NEW HOLOGRAPHIC METAL EFFECT FILM WITH LINE EFFECT

HoloStripe ASLAN SE 74

The classic **Holographic ASLAN SE 72** now has an eye-catching addition: the metallised polyester film **HoloStripe ASLAN SE 74**, featuring a striped effect coating in a mesmerising rainbow colour play. It is a real eye-catcher for applications that demand maximum attention. This PVC-free solution with a double-sided effect is perfect for shop windows, point-of-sale displays, the hospitality sector and striking visual merchandising.

The 50 µm polyester film with a special coating is easy to cut and ideal for indoor and outdoor applications on smooth surfaces. Its double-sided effect is particularly striking on glass. Printability with latex and UV curable inks unlocks additional creative possibilities. Equipped with ASLAN's proven, solvent-free adhesive, **HoloStripe ASLAN SE 74** can be removed from surfaces such as glass and metal without leaving any residue.

Product advantages

- Intense rainbow shimmer with lines
- Identical effect on both sides
- Printable with latex and UV curable inks
- Almost invisible transition of the effect
- PVC and plasticiser-free, REACH-compliant
- Excellent for cut graphics
- 50 µm polyester for easy handling, no shrinkage
- Removable in one piece, from glass and metal surfaces without adhesive residue
- Double-sided PE-coated liner ensures excellent flatness, moisture stability and smooth feed in printers and cutters
- Outdoor durability of up to three years



HOLOGRAPHIC METAL EFFECT FILM


Holographic ASLAN SE 72

Whether used as a striking background for labels and stickers, or for promotions, displays or interior design, the new self-adhesive **Holographic ASLAN SE 72** means all eyes will be on your advertising message. This silver double-sided holographic film has no repeat pattern so there is no waste. With its rainbow shimmer, it turns your designs and print jobs into unique, eye-catching applications. Its outdoor durability of up to 3 years means that it can be used for short-term campaigns as well as for long-lasting projects outdoors and indoors.

This PVC-free 50 µm PET film can be printed with latex and UV-curing inks as well as screen-printing inks. Its double-sided PE-coated liner is made for perfect printability and easy cutting in your plotter.

Product advantages

- Seamless, double-sided, holographic effect in shimmering rainbow colours
- Suitable for indoor and outdoor applications
- Release liner PE-coated on both sides for optimum flatness and moisture stability
- Perfect for printing with latex, UV curable and screen-printing inks
- Outdoor durability of 3 years



Product	Characteristics	Colour	Printability	Details
Holographic ASLAN SE 72	Seamless, double-sided, holographic effect	Rainbow colours	Latex- and UV curable inks	 Holographic
HoloStripe ASLAN SE 74	Seamless, double-sided, holographic with line effect	Rainbow colours		 Holographic

PRINTABLE METAL- AND SPECIAL EFFECT FILMS



PrintMetal ASLAN CA 30 | Silver polished

Product	Characteristics	Colour	Printability	Details
MetalColour ASLAN CA 24	Metal effect film, coloured	Five effects	Solvent-, Eco-Solvent-, Latex- and UV curable inks	 
	         			
PrintMetal ASLAN CA 30	Metal effect film	Seven effects, identical effects on both sides		
	      		Latex- and UV curable inks	 
Holographic ASLAN SE 72	Seamless, double-sided, holographic effect	Rainbow colours		
				
HoloStripe ASLAN SE 74	Seamless, double-sided, holographic effect	Rainbow colours		
			 	 
LoopPET Metal ASLAN CRA 31	Metallic effect film with 70 % post-consumer recycled polyester	Gold and silver, polished, identical effects on both sides		
	 			

METAL EFFECT AND SPECIAL EFFECT FILMS SUITABLE FOR PLOTTER CUTTING

Product	Characteristics	Colour	Details
MetalEffect ASLAN CA 23	Metal effect film, identical effects on both sides	eight effects	 
	       		
MirrorEffect AntiScratch ASLAN SE 75	Mirror effect film, identical effects on both sides, especially scratch-resistant surface	Gold and silver, highly reflective	 
	 		
MirrorEffect SimplyApply ASLAN SE 76	Mirror effect film, scratch-resistant, extraordinary simple to apply	Silver, highly reflective	 
			
ColourShift ASLAN SE 70	Dichroic film, transparent	Two effects: Nebula and Solar	 
	 		
ColourShift ASLAN SE 71	Dichroic film, opaque	Four effects: Aurora (pink to light blue), Alpha (magenta to yellow), Andromeda (copper to green) and Plasma (dark blue to green)	
	   		
ColourShift Etched ASLAN SE 77	Etched glass effect, dichroic	Colour changing film, Luna and Nova	
	 		

Colours may vary.



MirrorEffect AntiScratch ASLAN SE 75 | Silber

DECORATIVE FILMS

SparkleColour ASLAN SC 123 | Glittering self-adhesive decorative film

A 350 µm thick PET film containing particles of glitter that gives it an incredible sparkly effect. In fact, the unusually high level of glitter particles offer the perfect light reflection to its maximum effect. The film is suitable for use on all smooth surfaces, bringing a touch of glamour to shop displays, architecture features and trade fair designs. Ideal for use on glass as the colour effect is double-sided with only a slightly reduced glitter effect on the back. What’s more, due to the transparent carrier film, it is easy to apply. Thanks to the liner, silicon coated on both sides, the film has good lay flat qualities. ASLAN’s excellent water-based adhesive system enables it to be bonded to glass with high transparency and excellent colour brilliance. In addition, the film can be removed from glass and metal surfaces without leaving any residue.

Product advantages

- High number of glitter particles for perfect light reflection to maximum effect
- High-quality, structured feel
- Very easy to apply
- Good removal without adhesive residues from e.g. glass and metal
- Very good plotting properties
- Supplied with a surface protection film which also serves as a transfer tape
- For a minimum order of 500 metres linear further colours are available.



CaressColour ASLAN CC 124 | Flocked self-adhesive decorative film

The high-quality flock fibres are applied very densely, offering an impressive soft, velvety feel. The decorative film is therefore ideal as an atmospheric feature on all smooth surfaces used in shop fitting, architecture and exhibition stand design. It can be applied over the entire surface and plotted excellently.

Product advantages



- Dense flocking for atmospheric surfaces
- Soft velvety feel
- Very easy to apply
- Good removal without adhesive residues from e.g. glass and metal
- Very good plotting properties
- For a minimum order of 500 metres linear further colours are available.



Product	Characteristics	Colour	Details
SparkleColour ASLAN SC 123	Decorative film, glittering	14 colours, further colours on request	
	Rainbow White Silver Champagne Light Gold Gold Baby Pink Hot Pink Rose Gold Red Sky Blue Baby Blue Royal Blue Green Black		
CaressColour ASLAN CC 124	Decorative film, flocked	Eight colours, further colours on request	
	Black Anthracite White Red Magenta Orange Blue Green		



Photo: © tapeover-berlin



Photos: © www.folienheld.de

QUICKFINDER METAL- AND SPECIAL EFFECT FILMS					INDOOR	OUTDOOR	ON GLASS AND SMOOTH SURFACES	ON FLOORS AND ROUGH SURFACES	PERMANENT	SEMI-PERMANENT	REMOVABLE	DRYAPPLY	(ECO-) SOLVENT	LATEX	UV CURABLE INKS	PVC FREE	PCR PET	FIRE RATING EN 13501
PRODUCT		APPLICATION			ADHESIVE				PRINTABILITY			DETAILS						
MetalColour ASLAN CA 24		•	•	•					•	•	•		•	•	•			
PrintMetal ASLAN CA 30		•	•	•	•				•	•	•		•	•	•			
Holographic ASLAN SE 72		•	•	•						•				•	•	•		
HoloStripe ASLAN SE 74		•	•	•						•				•	•	•		
LoopPET Metal ASLAN CRA 31		•	•	•						•				•	•	•	•	•
MetalEffect ASLAN CA 23		•	•	•						•						•		•
MirrorEffect AntiScratch ASLAN SE 75		•	•	•						•						•		•
MirrorEffect SimplyApply ASLAN SE 76		•	•	•							•					•		
ColourShift ASLAN SE 70		•	•	•						•						•		
ColourShift ASLAN SE 71		•	•	•						•						•		
ColourShift Etched ASLAN SE 77		•	•	•						•			•	•	•			
SparkleColour ASLAN SC 123		•	•	•						•					•*			
CaressColour ASLAN CC 124		•	•	•						•					•*	•		

* in flatbed printing



Coloured films from ASLAN make surfaces appear in a very special light. The portfolio includes the most important basic colours in opaque and transparent versions. The films are extremely delicate to plot and can be transferred very easily thanks to the special combination of initial adhesion and repositionability.

COLOURED FILMS

TRANSPARENT COLOURED FILM



GlassColour ASLAN CT 113 | The transparent coloured film for creative glass decoration

These transparent coloured films allow stunning effects on glass surfaces, which are a mainstay of modern architecture and interior design. Colourful and creatively designed glass facades, conference rooms or shop windows can be easily realised.

New and improved adhesive technology further enhances the films’ quality: A high level of transparency guarantees a clear view through applied films. For even more effects, the film is printable using solvent, eco-solvent, latex or UV curable inks.

Product advantages

- Extensive range of colours: 19 shades to choose from
- High colour transparency
- Brilliant colour effects when backlit or used on white or reflective surfaces
- 3-5 years outdoor durability
- Printable with solvent, eco-solvent, latex and UV curable inks



Product	Characteristics	Colour	Printability
GlassColour ASLAN CT 113	Coloured film for decorative designs on glass, brilliant colour effect	19 colours	Solvent-, Eco-Solvent-, Latex- and UV curable inks
	11355K 11371K 11356K 11357K 11373K 11374K 11359K 11360K 11395K 11377K		
	11383K 11381K 11392K 11379K 11364K 11388K 11385K 11368K 11369K		

OPAQUE COLOURED FILM

PremiumColour ASLAN C 118 Soft | The opaque premium film for long-term advertising

This polymeric, self-adhesive PVC film in glossy and matt colours is specially designed for high-quality lettering and logo plotts. It can be applied both to smooth and curved surfaces and is ideal for the long-term design of cars, public transport vehicles, glass surfaces and outdoor signs.

Product advantages

- Highly flexible plotter film
- Excellent adaptation to contours
- Easy and fast weeding
- High opacity
- Solvent-free adhesive



Product	Characteristics	Colour
PremiumColour ASLAN C 118 Soft	Premium coloured film, opaque, for long-term use	18 glossy and 2 matt colours
glossy	11818S 11851S 11855S 11803S 11835S 11813S 11824S 11804S 11839S	
	11805S 11840S 11858S 11809S 11842S 11808S 11810S 11812S 11844S	
	11880S 11879S	

FLUORESCENT FILM

FluoColour ASLAN CL 70 | The fluorescent film for highly visible advertising

Self-adhesive fluorescent film, available in two colours, for eye-catching advertising or extremely luminous way finding systems.

Product	Characteristics	Colour	
FluoColour ASLAN CL 70	Fluorescent film, for highly visible advertising	Two especially bright colours: red and yellow	
		14215	14216



QUICKFINDER COLOURED FILMS					INDOOR	OUTDOOR	ON GLASS AND SMOOTH SURFACES	ON FLOORS AND ROUGH SURFACES	PERMANENT	SEMI-PERMANENT	REMOVABLE	DRY APPLY	(ECO-) SOLVENT	LATEX	UV CURABLE INKS	PVC FREE	PCR PET
PRODUCT					APPLICATION				ADHESIVE				PRINTABILITY			DETAILS	
GlassColour ASLAN CT 113					•	•	•			•			•	•	•		
FluoColour ASLAN CL 70					•	•	•			•							
PremiumColour ASLAN C 118 Soft					•	•	•			•							



The fields of application for digital printing films are as diverse as the colour range - making it all the more important that the films are precisely matched to the respective requirements in terms of printability and adhesive formulation.

ASLAN offers the most suitable film for almost every scenario, whether for indoor or outdoor applications, on floors, walls or facades, as well as for particularly challenging applications such as apolar surfaces.

DIGITAL PRINTING FILMS

NEW HI!TACK - DIGITAL PRINTING SOLUTIONS WITH STRONG ADHESION

Hi!Tack Dryapply Grey ASLAN DFL 09G | Glossy high-tack digital printing film with Dryapply technology and high opacity

The special highlight of this film lies in the adhesive: On the one hand, the air channels of the proven ASLAN Dryapply technology enable easy and bubble-free dry application as well as repositionability. On the other hand, the adhesive is grey-coloured to ensure high opacity, reliably covering coloured or patterned surfaces.

Product advantages

- Easy to apply thanks to ASLAN Dryapply technology
- Strong adhesive strength of 16 N/25 mm
- Grey-coloured adhesive for high opacity
- Excellent repositionability
- Suitable for both indoor and outdoor applications
- Made from premium dimensionally stable polymeric PVC of the renowned UltraTack series
- Printable using solvent, eco-solvent, latex, and UV curable inks as well as screen printing inks
- Double-sided PE-coated liner for excellent flatness
- Long outdoor durability of up to 7 years
- Clean removable from low-energy surfaces and steel
- Solvent-free adhesive



Hi!Tack Removable ASLAN DFP 10 | Glossy high-tack digital printing film with optimised removability

The signmaking dilemma: ultra-strong adhesion combined with excellent removability from many surfaces – now solved. This self-adhesive film enables the application of prints or cut graphics to strongly textured surfaces such as brickwork and rough plaster, powder-coated and highly absorbent substrates, as well as painted ones.

Despite its ultra-strong adhesion of 22 Newton after 72 hours, the digital printing film is user-friendly for repositioning. It is 75 µm thick, made of PVC, and can be printed using all standard printing techniques.

Product advantages

- Particularly strong adhesion with residue-free removability from many substrates
- Strong adhesive strength of 22 N/25 mm
- Suitable for both indoor and outdoor applications
- Made from excellent dimensionally stable polymeric PVC of the renowned UltraTack series
- Printable using solvent, eco-solvent, latex, and UV curable inks, as well as screen printing inks
- High opacity and easy repositioning
- Reduces time and labour during removal, minimising potential damage to the substrate
- Solvent-free adhesive



NEW A MORE SUSTAINABLE CLASSIC

LoopPET UltraTack ASLAN DRP 07

Developed for sustainable, printable and PVC free applications on e.g. low-energy substrates: The 50 µm thick, self-adhesive, gloss white digital printing film LoopPET UltraTack ASLAN DRP 07 consists of at least 30 % recycled polyester. Thanks to the special adhesive recipe, this film is suitable for applying to non-polar and non-absorbent, mineral, flat surfaces whether for indoor or outdoor use. The self-adhesive film can be printed with latex and UV curable inks and is equipped with a highly transparent, solvent-free, high-tack adhesive system.

Product advantages

- raw film made from at least 30 % secondary raw materials (PCR PET)
- a more sustainable version of the renowned UltraTack ASLAN DFP 07
- the critical amount of water used in production is lower than for conventional PVC films



THE CLASSICS - ULTRATACK FILMS

UltraTack Series

With extra strong adhesion, these polymeric softened digital printing films are perfect for long-term applications requiring rock-solid, permanent adhesion. Even on the trickiest surfaces, such as non-polar, uneven or highly absorbent ones, the films ensure a perfect bond. The silicone paper liner, PE-coated on both sides, provides high resistance to moisture and heat and guarantees optimum printing results.

Product advantages

- Polymeric digital printing film with outdoor durability of 7 years
- For application temperatures from 5° C
- Special adhesive with very high adhesive strength
- Especially suitable for challenging, uneven and/or non-polar surfaces
- Ideal for applications onto rough indoor walls



Product	Characteristics	Colour	Printability	Details
Hi!Tack Dryapply Grey ASLAN DFL 09G	With proven ASLAN Dryapply technology for particularly easy application, grey special high-tack adhesive, can be applied from 15° C	White, glossy, with grey adhesive	Solvent-, Eco-Solvent-, Latex- and UV-curable inks	
Hi!Tack Removable ASLAN DFP 10	Clean removable from a variety of substrates, special high-tack adhesive, can be applied from 15° C	White, glossy		
LoopPET UltraTack ASLAN DRP 07	Permanent film made from 30 % recycled polyester, especially for low-energy surfaces.	White, glossy	Latex- and UV-curable inks	
UltraTack Transparent ASLAN DFP 06	Permanent films for smooth and rough indoor walls, with extra strong adhesive, reliable hold even on challenging surfaces.	Clear, glossy	Solvent-, Eco-Solvent-, Latex- and UV-curable inks	
UltraTack ASLAN DFP 07		White, glossy		
UltraTack Matt ASLAN DFP 08		White, matt		
UltraTack Grey ASLAN DFP 07G	With grey adhesive. The coloured adhesive prevents the background showing through.	White, glossy, with grey adhesive		
UltraTack Matt Grey ASLAN DFP 08G		White, matt, with grey adhesive		

DIGITAL PRINTING FILM WITH MONSTROUS ADHESION



MonsterTack ASLAN DFP 05

With a solvent vapour and lubricating oil resistant adhesive formulation, the polymeric, glossy digital printing film offers assurance for the most difficult applications. Trailer surfaces, such as plywood panels, which are often equipped with a very dirt-repellent surface. Decals on construction vehicles, agricultural and industrial machines, that are subject to extreme mechanical stress and heavy pollution. Other demanding applications include campers and mobile homes, petrol pumps, low-energy substrates, ABS plastics, motocross vehicles – wherever really extreme conditions prevail, **MonsterTack ASLAN DFP 05** is an optimal solution.

Despite its extremely high adhesive strength, **MonsterTack ASLAN DFP 05** can be clean removed from low-energy surfaces as well as from steel – not leaving any residue.

Product advantages


- Bonding temperature from -10° C
- Monster adhesion for the most difficult applications like plywood panels, powder coated surfaces, petrol pumps etc.
- Resistant to solvent vapours and lubricating oil
- Highly flexible polymeric film, ideal for rough surfaces
- Residue-free removability on low-energy surfaces and steel
- Solvent-free adhesive
- No edge bleeding while printing
- Classified to salt spray test ISO 9227:2017
- Classified to flame retardant standard EN 13501-1: B – s1, d0



The perfect match!
A monster strong match offers the **MonsterTack ASLAN DFP 05** with the protective laminate **MonsterLAM ASLAN SL 05**.
The combination is specially developed and tested for solvent vapor and lubricating oil, resistant, hard-wearing applications under the toughest requirements, such as in the field of motocross or construction machinery.
The digital printing film can be found on page 40.



How to find the right film for my application?



Please note:
This decision tree can only provide support and cannot reflect all individual circumstances. ASLAN recommends test applications in order to make a reliable decision.

Product	Characteristics	Colour	Printability	Details
MonsterTack ASLAN DFP 05	Permanent film with monstrous adhesion, for the most challenging applications.	White, glossy	Solvent-, Eco-Solvent-, Latex- and UV curable inks	

DOUBLE-SIDED WHITE BLOCKOUT FILM

WindowBlock ASLAN DFP 25

This highly opaque self-adhesive blockout film is white on both sides, making it ideal for double-sided advertising on glass surfaces. The high opacity of the blockout layer prevents digital prints from showing through.

In combination with a clear digital printing film printed with a mirror image, glass surfaces can be used for double-sided advertising that is applied from inside the glass. This offers perfect protection against vandalism.

Product advantages

- Unique product: white on both sides with high opacity
- In combination with a clear digital printing film printed with a mirror image, advertising can be applied on both sides of glass
- The high opacity prevents prints from shining through
- Thickness of 180 µm provides easy application
- Films can be easily removed, even after years



HIGHLY TRANSLUCENT DIGITAL PRINTING FILM FOR ILLUMINATED SIGNS

Lightbox Print Dryapply ASLAN DFL 20

With its silk-matt surface and an especially high translucency, this white digitally printable, self-adhesive film is ideal for back-lit applications. A structure of extremely fine air egress channels permit dry application of the film. Air bubbles can be wiped out with ease, making application fast, clean and efficient.



Product	Characteristics	Colour	Printability	Details
WindowBlock ASLAN DFP 25	3 years outdoor durability, 180 µm	White, glossy	Solvent-, Eco-Solvent-, Latex- and UV-curable inks	
Lightbox Print Dryapply ASLAN DFL 20	Highly translucent digital printing film with silk-matt surface	White	Solvent-, Eco-Solvent-, Latex- and UV-curable inks	

SELF-ADHESIVE DIGITAL PRINTING FILMS FOR WALLS AND FACADES

For innovative and creative wall decorations, ASLAN offers high-quality digital printing films. Whether interior or exterior walls, whether short-term or long-term use – ASLAN has the right solution for your application. Thanks to the special ASLAN adhesives, the films are tailored specifically to any application you might have in mind.

Product	Characteristics	Colour	Printability	Details
MonsterTack ASLAN DFP 05	Permanent film with monstrous adhesion, for the most challenging applications.	White, glossy	Solvent-, Eco-Solvent-, Latex- and UV-curable inks	
UltraTack Transparent ASLAN DFP 06	Permanent films for smooth and rough indoor walls, with extra strong adhesive, reliable hold even on challenging surfaces.	Clear, glossy		
UltraTack ASLAN DFP 07		White, glossy		
UltraTack Matt ASLAN DFP 08		White, matt		
UltraTack Grey ASLAN DFP 07G		White, glossy, with grey adhesive		
UltraTack Matt Grey ASLAN DFP 08G	With grey adhesive. The coloured adhesive prevents the background showing through.	White, matt, with grey adhesive		
Hi!Tack Dryapply Grey ASLAN DFL 09G	With grey adhesiveand ASLAN Dryapply technology.	White, glossy, with grey adhesive		
Hi!Tack Removable ASLAN DFP 10	Highly adhesive and with optimised removability.	White, glossy		
WrapTheHouse ASLAN DFP 45	Removable facade films for rough outdoor walls, water-proof adhesive, no protective laminate required, guaranteed residue-free removal within up to 6 months, outdoor durability of up to 3 years.	White, glossy		
WrapTheHouse Matt ASLAN DFP 55		White, matt		
WrapTheFloor ASLAN DFP 47	Removable film for smooth indoor and outdoor walls (e.g. polished natural stone), water-resistant adhesive, easily removable in one piece.	White, glossy	Solvent-, Eco-Solvent-, Latex- and UV-curable inks	
LifeTime Removable ASLAN DFP 40	Removable film for smooth indoor walls, can be repositioned multiple times, for application onto wallpaper, wood, painted surfaces, metal and glass.	White, glossy		
LifeTime Removable ASLAN DFP 41		Clear, glossy		
LifeTime Removable ASLAN DFP 42		White, matt		
LoopPET Dryapply ASLAN DRL 19	Digital printing film made with 30 % post-consumer recycled polyester	White, glossy	Latex- and UV-curable inks	

With WallMask ASLAN S 41, ASLAN offers even more products for facade design. These can be found on page 44.

WrapTheHouse ASLAN DFP 45


SELF-ADHESIVE DIGITAL PRINTING FILMS FOR FLOOR GRAPHICS

Design floors in a whole different way and use them for eye-catching advertising! Whether for indoor or outdoor advertising, smooth or rough surfaces: ASLAN offers the right solution for every surface.

For this application we provide various digital printing films that can be combined as required with slip-resistant floor graphics films. As a special advantage, the printed and laminated floor graphics are fire-rated as a complete, bonded unit.

OUTDOOR APPLICATIONS					
Product	Characteristics	Colour	Printability	Details	
Print'nGo Street ASLAN DFP 36	White, slip resistant (R9), directly printable, no laminating film required. For short-term applications on a wide variety of rough surfaces such as pavements, entrances, paving stones and outdoor staircases, easy and fast to remove.		Solvent-, Eco-Solvent-, Latex- and UV-curable inks		
WrapTheStreet ASLAN DFP 46	For short-term applications on a wide variety of rough surfaces such as pavements, entrances, paving stones and outdoor staircases, easy and fast to remove.			   	
WrapTheFloor ASLAN DFP 47	No discolouring of stone surfaces by ink or adhesive, removable from smooth floors in one piece and without leaving residues, for temporary floor graphics, e.g. on marble or natural stone.			  	

INDOOR APPLICATIONS					
Product	Characteristics		Colour	Printability	Details
Print'nGo ASLAN DFP 33	White, slip resistant (R9), directly printable, no laminating film required	Slip-resistant floor graphics films for smooth surfaces		Solvent-, Eco-Solvent-, Latex- and UV-curable inks	 
Print'nGo ASLAN DFP 44	Clear, highly slip-resistant (R12), also for wet barefoot walkways, directly printable, no laminating film required				 
WrapTheFloor ASLAN DFP 47	No discolouring of stone surfaces by ink or adhesive, removable from smooth floors in one piece and without leaving residues, for temporary floor graphics, e.g. on marble or natural stone	For smooth floors			 
WrapTheCarpet ASLAN DFP 49	For temporary use on short-pile carpets, can be removed in one piece without leaving residues or damaging/discolouring the carpet	For carpets			 



1. Digital printing film:
WrapTheStreet ASLAN DFP 46
WrapTheFloor ASLAN DFP 47
WrapTheCarpet ASLAN DFP 49
- +
2. printed with
latex or UV curable inks
- +
3. Protection film:
Premium FloorProtect R12 ASLAN MP 300
FloorProtect R9 ASLAN MP 326


SPECIAL ADVANTAGES OF THE ASLAN FLOOR GRAPHICS SOLUTIONS

SLIP-RESISTANCE CERTIFICATION



The ASLAN floor graphics range includes both digital printing films and protective laminates that meet the requirements of slip resistance classes R9 and R12. The R9 certified self-adhesive films meet the minimum requirements for indoor floor coverings in general areas while the R12 certified versions meet the requirements of the second highest slip resistance class, required for use in commercial kitchens and guest rooms for example. In addition, the R12 films also meet the standard for slip resistance in wet barefoot areas according to DIN 51097 (class C) as applicable in, for example, the changing room areas of swimming baths or in entrance areas.

For its floor graphics range, ASLAN offers an unparalleled fire classification according to Euroclass EN 13501-1. This applies to all digital printing films used in conjunction with the floor graphics protective laminate **FloorProtect R9** ASLAN MP 326 and **Premium FloorProtect R12** ASLAN MP 300. What's so special about them is that these composites made from digital printing film and laminate are classified in their printed state.



FIRE RATING



WrapTheStreet ASLAN DFP 46 + FloorProtect ASLAN MP 326

DIGITAL PRINTING FILM FOR APPLICATIONS ON PVC MATERIALS

SignTack Removable ASLAN DFP 13G

This white, matt digital printing film is perfectly suited for applications on PVC materials. Using this self-adhesive film makes it easy to update contents that are already printed on PVC materials – for example changing dates of annually recurring events or eye-catching announcements. The film removes clean for minimum three months and its grey adhesive ensures a high opacity.



Product	Characteristics	Colour	Printability
SignTack Removable ASLAN DFP 13G	PVC film for applications on printed and unprinted PVC materials	White, matt	Solvent-, Eco-Solvent-, Latex- and UV curable inks

SELF-ADHESIVE DIGITAL PRINTING FILMS FOR APPLICATIONS ON GLASS



Benefits of ASLAN Dryapply technology, an ideal combination of adhesive, backing and structural characteristics:

- Extremely fine air egress channels allow easy and bubble-free dry application
- Can be easily repositioned during application, without risk of damage
- Application tape can be removed immediately after application



LoopPET Clear ASLAN DRP 18

Product	Characteristics	Colour	Printability	Details
PrintEtched Dryapply ASLAN DFL 300	Translucent film, printable	Etched glass effect	Solvent-, Eco-Solvent-, Latex- and UV curable inks	Certified for HP Latex inks
PrintSilverEtched Dryapply ASLAN DFL 302		Silver etched glass effect		Certified for HP Latex inks
PrintDusted Dryapply ASLAN DFL 200		Dusted effect		
PrintMilky Dryapply ASLAN DFL 210		Milk glass effect		
ColourShift Etched ASLAN SE 77	Etched glass effect, dichroic	Colour shifting film, Luna und Nova	Solvent-, Eco-Solvent-, Latex- and UV curable inks	
GlassColour ASLAN CT 113	Transparent coloured films for creative glass decoration	19 Colours		
LoopPET Clear ASLAN DRP 18	Highly transparent polyester digital print film with 70 % recycled polyester content	Clear	Latex- and UV curable inks	

QUICKFINDER
DIGITAL PRINTING FILMS

	INDOOR	OUTDOOR	ON GLASS AND SMOOTH SURFACES	ON FLOORS AND ROUGH SURFACES	PERMANENT	SEMI-PERMANENT	REMOVABLE	DRYAPPLY	(ECO-) SOLVENT	LATEX	UV CURABLE INKS	PVC FREE	PCR PET	FIRE RATING EN 13501	SLIP RESISTANCE
PRODUCT	APPLICATION				ADHESIVE				PRINTABILITY			DETAILS			
MonsterTack ASLAN DFP 05	•	•	•		•				•	•	•			•	
UltraTack Transparent ASLAN DFP 06	•	•	•		•				•	•	•			•	
UltraTack ASLAN DFP 07	•	•	•		•				•	•	•			•	
UltraTack Matt ASLAN DFP 08	•	•	•		•				•	•	•			•	
UltraTack Grey ASLAN DFP 07G	•	•	•		•				•	•	•			•	
UltraTack Matt Grey ASLAN DFP 08G	•	•	•		•				•	•	•			•	
Hi!Tack Dryapply Grey ASLAN DFL 09G	•	•	•		•			•	•	•	•				
Hi!Tack Removable ASLAN DFP 10	•	•	•		•		•		•	•	•				
LoopPET UltraTack ASLAN DRP 07	•	•	•		•				•	•	•	•	•		
WrapTheHouse ASLAN DFP 45	•	•	•	•	•		•		•	•	•				
WrapTheHouse Matt ASLAN DFP 55	•	•	•	•	•		•		•	•	•				
WrapTheFloor ASLAN DFP 47	•	•	•	•			•		•	•	•			•	
LifeTime Removable ASLAN DFP 40	•		•				•		•	•	•				
LifeTime Removable ASLAN DFP 41	•		•				•		•	•	•				
LifeTime Removable ASLAN DFP 42	•		•				•		•	•	•				
LoopPET Dryapply ASLAN DRL 19	•	•	•			•		•	•	•	•	•	•	•	
WrapTheStreet ASLAN DFP 46	•	•	•	•	•		•		•	•	•			•	
Print'nGo Street ASLAN DFP 36	•	•	•	•	•		•		•	•	•				•
WrapTheFloor ASLAN DFP 47	•	•	•				•		•	•	•			•	
Print'nGo ASLAN DFP 33	•		•				•		•	•	•				•
Print'nGo ASLAN DFP 44	•		•				•		•	•	•				•
WrapTheFloor ASLAN DFP 47	•	•	•				•		•	•	•			•	
WrapTheCarpet ASLAN DFP 49	•		•	•			•		•	•	•			•	
SignTack Removable ASLAN DFP 13G	•	•					•		•	•	•				
PrintEtched Dryapply ASLAN DFL 300	•	•	•			•		•	•	•	•			•	
PrintSilverEtched Dryapply ASLAN DFL 302	•	•	•			•		•	•	•	•			•	
PrintDusted Dryapply ASLAN DFL 200	•	•	•			•		•	•	•	•			•	
PrintMilky Dryapply ASLAN DFL 210	•	•	•			•		•	•	•	•			•	
ColourShift Etched ASLAN SE 77															
LoopPET Clear ASLAN DRP 18	•	•	•			•			•	•	•	•	•	•	
GlassColour ASLAN CT 113	•	•	•			•			•	•	•				
WindowBlock ASLAN DFP 25	•	•	•				•		•	•	•			•	
Lightbox Dryapply ASLAN DFL 20	•	•	•			•		•	•	•	•				



Protective laminates are used to refine and protect your digital prints. The speciality: without exception, all laminates from ASLAN are compatible with UV prints thanks to the special adhesive application, ranging from pure protective films to extend durability – even under the most difficult conditions - to anti-graffiti protection and colour-intensifying laminates for high-quality applications.

PROTECTIVE

LAMINATES

NEW ROBUST PROTECTION FOR FLOOR GRAPHICS

FloorProtect R11 ASLAN MP 330

With its classification according to slip resistance class R11, **FloorProtect R11 ASLAN MP 330** offers effective, slip-resistant protection for digital printed graphics on a wide variety of floor coverings. The 170 µm thick, structured floor laminate effectively protects prints from dirt and abrasion caused by mechanical stress.

The laminate is scratch and tread-resistant and is ideally suited for use in public areas such as retail spaces, trade fairs or exhibitions, as well as in gastronomy, offices, public buildings, wet rooms and in industrial environments with demanding conditions. Thanks to the high-quality adhesive, **FloorProtect R11 ASLAN MP 330** is also suitable for outdoor applications.

FloorProtect R11 ASLAN MP 330 completes the range between the existing solutions **FloorProtect R9 ASLAN MP 326** and **Premium FloorProtect R12 ASLAN MP 300** and offers additional possibilities for professional floor graphics. With the R11 classification, the floor laminate covers a wide range of applications for indoor and outdoor areas and meets legal requirements. Its suitability for various environments simplifies material selection, optimizes inventory management and application processes for a wide variety of uses.

Produktvorteile

- slip-resistant protection for floor graphics on smooth and rough surfaces
 - R11 for broader application use and better slip resistance, a laminate for a variety of applications
 - ideal for indoor and outdoor applications
 - scratch-resistant, slip-resistant and insensitive to footfall
 - thickness of 170 µm robust against mechanical stress
 - matt structured surface
 - good transparency despite the thickness of the material
- solvent-free adhesive, ideal for outdoor applications


Slip-resistant certified according to

 - DIN EN 16165
 - American National Standard A137.1 / A326.3 (US standard)
 - DGUV Test (safety standard of the German Statutory Accident Insurance)
 - flame retardant certified according to Euroclass DIN EN 13501-1

Product	Characteristics	Colour	Details
FloorProtect R11 ASLAN MP 330	For protecting floor graphics, anti-slip class R11 according to DIN EN 16165, Annexes B, C and D, ANSI A137.1/A326.3, flame retardant certified according to DIN EN 13501-1	Clear, matt	Compatible as a laminate to all common printing systems including UV curable inks



FLOOR GRAPHICS LAMINATES FOR INDOOR AND OUTDOOR APPLICATIONS



For its floor graphics range, ASLAN offers an unparalleled fire classification according to Euroclass EN 13501-1. This applies to all digital printing films used in conjunction with the floor graphics protective laminate **FloorProtect R9 ASLAN MP 326** and **Premium FloorProtect R12 ASLAN MP 300**. What's so special about them is that these composites made from digital printing film and laminate are classified in their printed state.

- Digital printing film:

 - 1.** **WrapTheStreet ASLAN DFP 46**
WrapTheFloor ASLAN DFP 47
WrapTheCarpet ASLAN DFP 49
- +

printed with latex or UV curable inks
- +

Protection film:

 - 3.** **Premium FloorProtect R12 ASLAN MP 300**
FloorProtect R9 ASLAN MP 326



Product	Characteristics	Colour	Details
Premium FloorProtect R12 ASLAN MP 300	For protecting floor graphics, R12 classified to DIN 51130, slip resistance on wet barefoot walkways according to DIN 51097 (class C), insurance-certified	Clear, matt	Compatible as a laminate to all common printing systems including UV curable inks
FloorProtect R9 ASLAN MP 326	For protecting floor graphics, R9 slip-resistance according to ASTM D 2047-04 and DIN 51130, insurance-certified		

EXTRA THICK GLOSS PROTECTIVE FILM FOR OUTDOOR USE

MonsterLAM ASLAN SL 05

To protect applications even in the most difficult conditions, ASLAN has developed a hard-wearing, heavy-duty protective film to complement its extensive portfolio of functional protective films. **MonsterLAM ASLAN SL 05** is a 300 µm thick, high-gloss, clear laminate designed to protect digital printing films for applications on flat and slightly curved surfaces against high mechanical abrasion and stone chips. It is the perfect combination of a thick protective film with high transparency to maintain the colour intensity of digital prints.

Like all ASLAN laminates, the protective film is equipped with an innovative, solvent-free high-tack adhesive system that ensures a strong bond to the substrate and is compatible with all common printing systems including UV-curable inks without causing any silvering.

Product advantages

- stable 300 µm protective film made of PVC
- perfect combination of thick protective film and high transparency
- special protection against stone chipping and mechanical abrasion
- hard-wearing; impact and abrasion-resistant; heavy-duty and robust
- high gloss level and good scratch resistance
- solvent-free high-tack adhesive system offers a strong bond to the substrate
- compatible as a laminate to all common printing systems including UV curable inks
- short and mid-term applications on smooth and slightly curved surfaces
- resistant to solvents and lubricating oil in combination with **MonsterTack ASLAN DFP 05**



The perfect match!
A monster strong match offers the MonsterLAM ASLAN SL 05 with the digital printing film MonsterTack ASLAN DFP 05. The combination is specially developed and tested for solvent vapor and lubricating oil, resistant, hard-wearing applications under the toughest requirements, such as in the field of motocross or construction machinery. The digital printing film can be found on page 28.

PROTECTIVE LAMINATE FOR PRINTS

SoftTouch ASLAN SL 109

The **SoftTouch ASLAN SL 109** offers a number of advantages. The exceptional matt coating, with a gloss level of 3.7 at a 60° angle, cuts out all annoying reflections. Ideal for applications where light reflections must be avoided, such as TV studios, theatres or at trade fairs and events.

The soft, peach-like coating of the polypropylene film gives surfaces a pleasant feel and natural appearance, creating an organic and appealing aesthetic. It is resistant to scratches and fingerprints and contributes to the longevity of any surfaces where it is applied.



Product advantages

- 36 µm PP laminate with an ultra-matt surface
- peach-like soft-touch coating for a pleasant tactile feel
- gives any surface a natural appearance
- 100 % reflection-free – perfect for use in TV studios/ theatres and at trade fairs/events
- increases the colour brilliance of digital prints despite of the matt finish
- resistant to fingerprints
- scratch-resistant
- suitable for prints using UV curable inks without unwanted silvering
- solvent free high-tack adhesive system
- PVC, VOC and solvent free product
- classified to flame retardant standard EN 13501-1 (C-s1, d0)

LAMINATION FILMS FOR REFINING OF PRINTS AND SURFACES

GalleryLAM ASLAN SL 98


This self-adhesive 125 µm thick polyester film combines a perfect finish and functionality, with an ultra-gloss surface (gloss level up to 100 at a 60° angle) that imitates the look of glass. It's a real eye opener and by increasing the colour intensity it transforms simple prints into real works of art fit for a gallery.

Thanks to its special coating, the film surface is highly scratch-resistant. It's also easy-to-clean making it impervious to fingerprints and dirt. Furthermore, it has excellent resistance to many common household chemicals, cleaning agents and solvents.

If that wasn't enough, **GalleryLAM ASLAN SL 98** is also insensitive to heat and fat splashes, e.g. in applications for kitchen splash-backs. The thick polyester laminate is flame retardant according to Euroclass DIN EN 13501-1 (C-s1, d0) and also gives prints with UV curable inks a crystal-clear finish without unwanted silvering.

Product advantages

- 125 µm thick PET film for a glass-like finish, robust and highly resilient
- Hardcoat varnish: ultra-glossy, highly scratch-resistant and easy-to-clean
- Resistant to high temperatures, grease splashes and hot liquids
- Classified to flame retardant standard EN 13501-1 (C-s1, d0)
- Resistant to common household chemicals, cleaning agents, solvents
- Compatible for prints with UV curable inks without unwanted silvering
- Solvent-free high-tack adhesive
- For depth and sharpness of prints
- PVC-, VOC- and solvent-free product



Product	Characteristics	Colour	Details	
MonsterLAM ASLAN SL 05	Extremely resistant PVC film for the protection of digital printing films for applications on flat and slightly curved surfaces	Clear, glossy	Compatible as a laminate to all common printing systems including UV curable inks	
GalleryLAM ASLAN SL 98	PET lamination film for higher colour brilliance on prints			
PremiumProtect ASLAN SL 17	Polymeric softened protective film for long-term protection of prints, indoors and outdoors			
PremiumProtect Matt ASLAN SL 18		Clear, matt		
SoftTouch ASLAN SL 109	PVC free laminate giving your print a soft, highly tactile finish and higher colour brilliance. Eliminates disturbing reflections.	Clear, soft touch		
LoopLAM ASLAN SRL 19	Protection film with 70 % recycled polyester	Clear, glossy		

ANTI-GRAFFITI LAMINATES

MagicProtect Matt ASLAN SL 99

MagicProtect Matt ASLAN SL 99 is the solution to two everyday problems in public and private spaces: the special coating prevents vandalism caused by graffiti because paint simply rolls off – very similar to the well-known lotus effect. In addition, stickers cannot form a permanent bond with the surface of the film, meaning that unwanted stickers can be removed easily and without leaving any residue. The self-adhesive laminate is therefore also suitable as a surface for frequently changing applications of self-adhesive films.

Made from polymeric softened PVC, the functional laminate MagicProtect Matt ASLAN SL 99 can protect digital prints on both smooth and rough surfaces. Paint residues on smooth surfaces are removed with just water and a microfibre cloth; the use of chemical cleaners is not necessary. In addition to fire protection certification in accordance with DIN EN 13501-1, MagicProtect Matt ASLAN SL 99 is also classified for use in railway vehicles in accordance with DIN EN 45545-2.

Product advantages

- Unique paint-repellent effect
- Protection against vandalism, including spray paint, graffiti pens and stickers
- Schutz vor Sticker-Vandalismus
- Repellent surface as a suitable substrate for frequently changing applications of self-adhesive films
- Can be applied in one or two dimensions and can also be applied to rough surfaces using a heat gun
- Matt surface avoids reflections
- Damage caused by spray paints or dirt can be easily cleaned
- Finishes prints with UV curable inks without unwanted sil-vering
- Processing temperature from 5° C
- Classified according to the Euroclass DIN EN 13501-1 flame retardant standard
- Classified according to flame retardant standard DIN EN 45545-2 R1/R7/R17 for railway vehicles



Product	Characteristics	Colour	Details
AntiGraffiti ASLAN SL 95	Polyester film, highly scratch-resistant, graffiti can be easily removed from the surface	Clear, highly glossy	
LoopPET AntiGraffiti ASLAN SRL 96	Polyester film made from 70 % recycled polyester, highly scratch-resistant, graffiti can be easily removed from the surface	Clear, highly glossy	
MagicProtect Matt ASLAN SL 99	PVC film with paint repellent effect. Spray paint and dirt slides off the matt surface of this self-adhesive film. Any residue paint and dirt can easily be cleaned off the surface. Anti-Sticker surface.	Clear, silk-matt surface	



It's a match ♥

Individually unique, unbeatable as a team:

MonsterTack ASLAN DFP 05 and MagicProtect Matt ASLAN SL 99

... not just another UltraTack –

this is MonsterTack

- Monstrous adhesive strength for the most challenging applications on hard-to-stick surfaces such as low-energy surfaces, petrol pumps, construction and agricultural machinery etc.
- Applicable at -10° C
- Resistant to solvent vapours and lubricating oil
- Particularly flexible film, also for rough surfaces
- Clean removal from non-polar surfaces and steel
- No edge bleeding adhesive
- Classified to flame retardant standard EN 13501-1 and salt spray test ISO 9227:2017



Applicable at -10°C

Digital printing film

Protective laminate

... not just another AntiGraffiti –

this is MagicProtect

- Spray paint repellent coating against spray paints and varnishes
- Repellent surface with anti-stickers characteristics
- Matt coating eliminates reflections
- Particularly easy to clean
- Can be applied on smooth and curved surfaces as well as on rough surfaces
- Compatible for prints with UV curable inks
- Classified to flame retardant standard EN 13501-1 and DIN EN 45545-2 R1/R7/R17 on railway vehicles

PROTECTIVE FILM FOR FLAT AND FOLDING MAPS

ASLAN mipofolie P

This extremely soft and supple self-adhesive film is specially designed for protecting and reinforcing flat and folding maps, drawings, sheet music and more. Not only does it prevent soiling and tearing, you can also write on it using a pencil. The matt, transparent film is very easy to handle: Thanks to its low initial tack, it can be adjusted during application. Plus, it is so flexible that maps can be easily folded after application.



Product	Characteristics	Colour
ASLAN mipofolie P	PVC film for protecting and reinforcing flat and folding maps, protects and reinforces drawings, plans, sheet music and more, write on it using a pencil	Clear, matt

QUICKFINDER
PROTECTIVE LAMINATES

	INDOOR	OUTDOOR	SUITABLE FOR UV PRINTS	ON FLOORS	PERMANENT	SEMI-PERMANENT	REMOVABLE	DRYAPPLY	PVC FREE	PCR PET	FIRE RATING EN 13501	SLIP RESISTANCE
PRODUCT	APPLICATION				ADHESIVE				DETAILS			
MonsterLAM ASLAN SL 05	•	•	•		•							
GalleryLAM ASLAN SL 98	•	•	•		•				•		•	
Premium FloorProtect R12 ASLAN MP 300	•	•	•	•	•						•	•
FloorProtect R9 ASLAN MP 326	•	•	•	•	•						•	•
FloorProtect R11 ASLAN MP 330	•	•	•	•	•						•	•
AntiGraffiti ASLAN SL 95	•	•	•		•				•		•	
LoopPET AntiGraffiti ASLAN SRL 96	•	•	•		•				•	•	•	
MagicProtect Matt ASLAN SL 99	•	•	•		•						•	
PremiumProtect ASLAN SL 17	•	•	•		•							
PremiumProtect Matt ASLAN SL 18	•	•	•		•							
LoopLAM ASLAN SRL 19	•	•	•		•				•	•		
SoftTouch ASLAN SL 109	•		•		•				•		•	
ASLAN mipofolie P	•	•			•							

SUSTAINABLE FILMS

We are attaching increasing importance to the concept of sustainability. This is why ASLAN has developed the LoopPET range: These films are made predominantly from recycled PET, which is obtained from household and commercial waste.

Not all areas of application for self-adhesive films can yet be covered by these solutions. However, we are constantly working on developing further alternative products that take the idea of sustainability into account and are as compatible as possible with people and the environment.

PCR (post-consumer recycling) are recycled plastics from household or commercial waste. A large part of this is packaging (60 %) and is therefore part of a closed material cycle. With the use of recycled plastics, savings are made in the use of fossil raw materials, plus reductions in waste and CO₂ emissions. The recycled content of a roll of LoopPET Clear ASLAN DRP 18 is equivalent to 120 PET bottles (1.5 litres). It is therefore evident that by the introduction of the LoopPET series, ASLAN is responding well to the general trend towards more ecology and sustainability. ASLAN have recently added more PCR films to their self-adhesive film portfolio alongside the already established white digital printing film LoopPET Dryapply ASLAN DRL 19 (30 % PCR PET) and the compatible laminate LoopLAM ASLAN SRL 19 (70 % PCR PET).



SELF-ADHESIVE FILMS AND SUSTAINABILITY – A MATERIAL COMPARISON

Why PVC free is not generally the solution and what possibilities there are currently in the field of self-adhesive films for sign making and digital printing if you want to produce more sustainably – we at ASLAN would like to convey this to you briefly and concisely using data and facts. So that you can give your customers the right answers, make your production as sustainable as possible and avoid the impression of greenwashing.

Introduction and terminology

The call for more sustainable products is also increasing significantly in the sign making and digital printing industries. Many large companies are committed to reducing their ecological footprint. The answer to the question of PVC free products and solutions is often simply PP or PET. ASLAN has decided to increase the use of PCR (post-consumer recycled) PET. The raw materials for this are obtained from recycled plastics from household and commercial waste. But is that really more sustainable? And where do you differentiate between more environmentally friendly and more people-friendly? We would like to briefly explain that here.

PVC: For long-term applications and therefore, in terms of energy use, sometimes soft PVC is the most sustainable material.

PCR PET: PET with 70 % recycled content currently has the best results.


PP: Definitely more favourable than PVC when it comes to plasticisers use.

PET: High-quality product that can be recycled to a large extent. But best as a PCR PET.


PLA: PLA, also called polylactic acid, is made from renewable and natural organic materials, such as corn, and belongs to the polyesters..

HDPE: Polyethylene is the world’s most commonly used plastic and is primarily used for packaging. Also used for photo papers and for liners.


FOSSIL RESOURCE CONSUMPTION




OIL CONSUMPTION



CRITICAL AIR FLOW



CRITICAL QUANTITY OF WATER




Which material is really sustainable?

There is no simple answer to this question. In three out of four charts, PCR PET seems to be the most sustainable choice. However, in terms of energy used, due to its longevity PVC can still be the best choice. Despite this, for short- and medium-term applications onto flat surfaces, PCR PET with a 70 % recycled content is currently the most sustainable solution.

DURABILITY IN SIGN MAKING AND DIGITAL PRINTING

Many products in sign making are used for a short time and are disposed after only a few weeks. It is extremely important to keep an eye on more environmentally friendly alternatives. When which base film can be used in the most environmentally friendly way is shown in this table as a recommendation (of course independent of deformability).



At a glance

As you can see in the overview below, there is no single answer. Do you want to reduce CO₂ emissions or the quantity of fossil resources? Do you want to prevent children from ingesting plasticisers, or to choose the most durable product in relation to energy use?

	SOFT PVC	PET	PCR PET (70 %)	PCR PET (30 %)	PP	HDPE	PLA
Fossil resource consumption	●●●	●●●●	●●	●●●	●●●	●●●	●
CO ₂ emissions	●●●	●●●●	●●	●●●	●●	●	●●●
Critical quantity of water	●●●●	●●	●	●	●●	●●	N/A
Plasticisers	●●●	none	none	none	none	none	none
Efficient recycling options	keine	++	++	++	++	++	biodegradable
Longevity */**	+++	+++	++	++	+	+	+
2-/3-dimensional applications	+++	-	-	-	+	+	++

ASLAN specialties with reduced consumption of resources

PCR PET DIGITAL PRINTING FILMS FOR LATEX, UV CURABLE AND RESIN INKS		RECYCLED CONTENT
LoopPET UltraTack ASLAN DRP 07	White gloss digital printing film	30 %
LoopPET Clear ASLAN DRP 18	Clear gloss digital printing film	70 %
LoopPET Dryapply ASLAN DRL 19	White gloss digital printing film	30 %
PCR PET LAMINATE TO PROTECT PRINTS		RECYCLED CONTENT
LoopLAM ASLAN SRL 19	Clear gloss lamination film	70 %
PCR PET METAL EFFECT FILMS WITH DOUBLE-SIDED METAL EFFECT		RECYCLED CONTENT
LoopPET Metal ASLAN CRA 31	Printable metal effect film silver and gold	70 %
PCR PET WHITEBOARD FILM		RECYCLED CONTENT
LoopPET Clearboard ASLAN CRB 91	Whiteboard film, scratch-resistant	70 %
PCR PET PROTECTIVE FILM		RECYCLED CONTENT
LoopPET AntiGraffiti ASLAN SRL 96	Gloss anti-graffiti protective film	70 %

In conclusion

There is not one single choice of sustainable material, so much depends on the intended use. Likewise, PVC still has its uses. Until an alternative is found, soft PVC is the best media for all long-lasting applications and where high levels of conformability is required. PP and PET is the best choice where gassing out of plasticisers could be an issue. However, for short- and long-term applications on flat surfaces (up to approx. 5 years), ecologically speaking, recycled PET with a high proportion of recyclate is currently the best option.

PLA is a new player in the field of self-adhesive films for sign making and digital printing. Because it is renewable and composed of natural organic materials, PLA is certainly a good alternative to traditional plastics. Unmixed or with a maximum of 10 % components that are not degraded within three months (e.g. inks, adhesive, pigments in the film), the product is even industrially compostable. On the other hand, the outdoor durability is currently still limited in terms of temperature and moisture resistance. Nevertheless, for indoor applications it is a first step (this is the status at the time of printing this white paper).

ASLAN continues to carry out intensive research to find ecological alternatives to the traditional films, as well as adhesives and liners. It is therefore important to always ask your ASLAN contact what new, more sustainable products are available.



ASLAN LOOP PET SERIES - DIGITAL PRINTING FILMS

Our sustainable solutions
for PVC free applications
with recycled polyester

More than 400 million tons of plastic are produced worldwide every year. Almost half of this is thrown away after a single use. A recycling process for printed self-adhesive films has as yet not been established. However, since more value is generally placed on sustainability, waste avoidance and lower energy consumption, the use of raw films made from recycled materials is a sensible option.

With the LoopPET series (= polyester in the cycle), ASLAN uses raw films made from a high percentage of recycled polyester. The films consist of up to 70 % PCR PET and do not differ in quality and use from new plastic. Cool, right?

For us, finding new ways to cut down on waste is an on-going process. ASLAN has therefore invested a lot of time and effort in finding ways to increase the use of PCR films and we are really pleased with the progress so far. But we are not standing still and are working on other alternatives – watch this space!!

LoopPET UltraTack ASLAN DRP 07

The white digital printing film made from up to 30% recycled polyester was developed for PVC-free, short to medium-term advertising campaigns and signage on low-energy substrates. Intended for indoor and outdoor applications on flat surfaces.

LoopPET UltraTack ASLAN DRP 07 is equipped with a highly transparent, solvent-free, particularly strong adhesive system that adheres reliably to difficult substrates such as apolar substrates. A PVC-, VOC- and solvent-free sustainable combination.



LoopPET Clear ASLAN DRP 18

With a 'clear' perspective on the future, the **LoopPET Clear ASLAN DRP 18** is the new transparent digital printing film with recycled polyester (70 % PCR) in the ASLAN portfolio. This film represents the perfect compromise between very high transparency and recycled film. It is intended for indoor and outdoor applications on flat surfaces and is therefore excellent on glass where good transparency and high colour brilliance is essential. Printed with latex or UV inks, the result is visually very impressive! Equipped with the fire protection classification Euroclass DIN EN 13501:1, the **LoopPET Clear ASLAN DRP 18** is ideally suited for sustainable shop concepts, in shop fitting and retail/store designs, for shop window graphics and behind-glass applications.



LoopPET Dryapply ASLAN DRL 19

No false promises, no greenwashing: **LoopPET ASLAN DRL 19** consists of 30 % recycled PET – for example from old plastic bottles that are shredded, cleaned and extruded back into new polyester. Technically speaking, a white film still needs a certain amount of „new“ PET to ensure a high degree of whiteness. It is important to know that the production of such films reduces the CO₂ footprint by 12 % compared to a non-recycled film.

In combination with ASLAN's well-known Dryapply adhesive, the result is a solvent- and VOC-free (volatile organic compounds) product that is very easy to apply dry – air bubbles can simply be squeegeed out.

Following our sustainability orientated strategy, we have decided not to add any unnecessary chemicals to make it printable with solvent inks, so this is a product suitable for latex and UV curable inks only. Nice add-on: this product can be laser cut.



LoopPET Metal ASLAN CRA 31

This is a semi-gloss, self-adhesive, printable metallic effect film made from 70 % recycled polyester. It is available in silver and gold and joins ASLAN's selection of high-quality metallic effect films. The effect is double-sided – same on both sides – and is ideal for applications of printed or plotted graphics to transparent surfaces such as glass, both indoors and outdoors.

All recycled polyester films are equipped with our proven, solvent-free adhesive system and offer a PVC, VOC and solvent-free bond. Even after years of use and despite their high adhesive strength, these films can be removed cleanly, without leaving any residue. They are very easy to plot and also print with latex and UV curable inks.

ASLAN LOOP PET SERIES - PROTECTIVE LAMINATES

LoopLAM ASLAN SRL 19

LoopLAM ASLAN SRL 19 is the ideal laminate for the digital printing film **LoopPET Dryapply ASLAN DRL 19**. With this protective laminate, we can also guarantee a significantly lower ecological footprint than with PVC solutions.

LoopLAM ASLAN SRL 19 is actually made from 70% recycled polyester and therefore takes the recycling process to the beginning of the production chain. Because the promise that films can be recycled after use cannot yet be realised technically, our new achievement is made from old PET bottles, for example. These are shredded, cleaned and re-extruded into new polyester.

The production of the laminate reduces the CO₂ footprint by up to 30% compared to a non-recycled base, and as it is polyester, the film does not shrink and can also be perfectly laser-cut when laminated onto PVC-free print products or onto the **LoopPET ASLAN DRL 19** printing film.




LoopPET AntiGraffiti ASLAN SRL 96

Surfaces in highly frequented areas with heavy public traffic are exposed to vandalism and graffiti. The use of an anti-graffiti film can minimize damage and reduce costs for cleaning and maintenance.

With **LoopPET AntiGraffiti ASLAN SRL 96** made of at least 70% recycled polyester (PCR-PET), ASLAN closes the recycling loop also in the field of protection films against graffiti and vandalism and offers from the LoopPET series a solution made of secondary raw materials to reduce the use of new raw resources.

The self-adhesive, transparent, anti-graffiti gloss film is a functional laminate with a special coating to protect digital prints and surfaces against vandalism. Graffiti can be removed from this particularly scratch-resistant surface without leaving any residue thanks to an invisible barrier. The top coat of **LoopPET AntiGraffiti ASLAN SRL 96** remains intact even after multiple cleaning with aggressive graffiti removers.



DIE ASLAN LOOP PET-SERIE - MEMOBOARD FILMS

LoopPET Clearboard ASLAN CRB 91

The evolution of our well-known and extremely popular memo board films: a transparent whiteboard film made from at least 70% recycled polyester that can be written on and wiped off again and again.

Simply apply to smooth, flat surfaces of a piece of furniture, to a coloured film or to a print, and your individual whiteboard is ready. The film surface is particularly scratch-resistant and ensures residue-free and easy removal of the lettering with a soft cloth, without leaving shadows or ghost writing - permanently.

LoopPET Clearboard ASLAN CRB 91 is therefore the perfect alternative to alternative to conventional whiteboards and is ideal for for use in public and private spaces.



SUSTAINABLE FILMS FROM RECYCLED POLYESTER

Product	Characteristics	Colour	Printability	Details
LoopPET UltraTack ASLAN DRP 07	Digital printing film made with 30 % post-consumer recycled polyester	White, glossy	Latex- and UV curable inks	
LoopPET Clear ASLAN DRP 18	Digital printing film made with 70 % post-consumer recycled polyester	Clear		
LoopPET Dryapply ASLAN DRL 19	Digital printing film made with 30 % post-consumer recycled polyester	White, glossy		
LoopPET Metal ASLAN CRA 31	Metallic effect film with 70 % post-consumer recycled polyester, printable	Gold and silver, polished, identical effects on both sides		
LoopLAM ASLAN SRL 19	Lamination film made with 70 % post-consumer recycled polyester	Clear, glossy	Compatible as a laminate to all common printing systems including UV curable inks	
LoopPet AntiGraffiti ASLAN SRL 96	Anti-graffiti lamination film made with 70 % post-consumer recycled polyester			
LoopPET Clearboard ASLAN CRB 91	Scratch-resistant whiteboard film made with 70 % post-consumer recycled polyester			

QUICKFINDER SUSTAINABLE FILMS

	INDOOR	OUTDOOR	ON GLASS AND SMOOTH SURFACES	ON FLOORS AND ROUGH SURFACES	LAMINATE SUITABLE FOR UV CURABLE INKS	PERMANENT	SEMI-PERMANENT	REMOVABLE	DRYAPPLY	(ECO-) SOLVENT	LATEX	UV CURABLE INKS	PVC FREE	PCR PET	FIRE RATING EN 13501
PRODUCT	APPLICATION					ADHESIVE				PRINTABILITY			DETAILS		
LoopPET UltraTack ASLAN DRP 07	•	•	•			•					•	•	•	•	
LoopPET Clear ASLAN DRP 18	•	•	•				•				•	•	•	•	•
LoopPET Dryapply ASLAN DRL 19	•	•	•				•		•		•	•	•	•	•
LoopPET Metal ASLAN CRA 31	•	•	•				•				•	•	•	•	•
LoopLAM ASLAN SRL 19	•	•	•		•	•							•	•	
LoopPET AntiGraffiti ASLAN SRL 96	•	•	•		•	•							•	•	•
LoopPET Clearboard ASLAN CRB 91	•	•	•		•	•							•	•	•



STENCIL FILMS

STENCIL FILMS FOR PAINTING AND LACQUERING

For 40 years, ASLAN has been offering self-adhesive stencil films for painting and lacquering applications, standing out as the recognised specialist in this field. Whether on smooth surfaces, textiles or rough walls: ASLAN has the right stencil film for you, supporting you in achieving best results in specifically your painting or lacquering application. As a specialist and market leader in self-adhesive stencil films, ASLAN offers a comprehensive portfolio covering wide-ranging applications.



WallMask ASLAN S 41 The stencil film for rough walls and facades

This highly flexible stencil film allows easy, sharply contoured lettering on rough walls and facades, turning them into permanent advertising or decorated spaces.

Product advantages

- Highly flexible PVC film, fits into joints and recesses
- Adheres perfectly to all rough indoor and outdoor walls
- Ensures sharp contours, thus no paint can run underneath the film
- Removable without leaving residues
- Tear-resistant
- Suitable for multiple paint applications
- Allows quick, cost-efficient facade lettering




PremiumMask ASLAN 85 K The highly flexible self-adhesive stencil film for painting and lacquering works

This self-adhesive stencil film is especially flexible and suitable for all lacquering and painting applications on plain and curved surfaces. It can be removed without leaving any residues.

Product advantages

- The world's most popular universal, highly flexible stencil film
- Tear-proof and easily removable
- For overlapping and multiple lacquering with touch-dry colours
- Ensures sharp contours, preventing paint from running underneath the film
- Suitable for high-temperature lacquering on vehicles



PLOTTABLE AND RESIDUE-FREE REMOVABLE STENCIL FILMS			
Product	Characteristics	Colour	Material
PremiumMask ASLAN 85 K	For tarpaulins, signs and vehicles	Grey, translucent	PVC
PremiumMask HighTack ASLAN 85 G	With higher adhesion	Grey, translucent	PVC
PaintMask ASLAN S 79	For smooth surfaces	Grey green, translucent	PVC
TextileMask ASLAN S 390	For painting and spraying work on uncoated textiles	Grey, translucent	PVC
WallMask ASLAN S 41	For facades and rough walls	Grey, translucent	PVC

STENCIL FILMS FOR SANDBLASTING WORKS

These self-adhesive stencil films, coordinated perfectly with various stone and glass surfaces, allow sharply contoured, relief-type structures, texts and logos or matt surface finishes. The range includes sandblasting films for a wide variety of sandblasting depths and surfaces.

The sandblasting films are highly robust and pressure-resistant and will not be damaged by the sandblasting process. Thanks to a special adhesive technology, they can be easily removed from glass, marble, granite and metals without leaving any residues.

STENCIL FILMS FOR SANDBLASTING WORKS				
Product	Characteristics	Colour	Application	Material
Sandblast 600 ASLAN S 62	For very heavy duty works, 600 µm	Creme, translucent		PVC
Sandblast 330 ASLAN S 64	For heavy duty works, 330 µm	Grey, opaque		PVC
Sandblast 230 ASLAN S 66	For light and medium duty works, 230 µm	White, opaque		PVC
Sandblast 180 ASLAN S 68	For light and medium duty works, 180 µm, higher resistance thanks to double layer quality	Grey, transparent	 	PVC
Sandblast 80 ASLAN S 69	For light duty works on glass, 80 µm	Grey green, transparent		PVC

QUICKFINDER STENCIL FILMS	ON GLASS AND SMOOTH SURFACES	ON ROUGH SURFACES	PERMANENT	SEMI-PERMANENT	REMOVABLE	DRYAPPLY
PRODUCT	APPLICATION		ADHESIVE			
PremiumMask ASLAN 85 K	•				•	
PremiumMask HighTack ASLAN 85 G	•				•	
PaintMask ASLAN S 79	•				•	
TextileMask ASLAN S 390	•				•	
WallMask ASLAN S 41	•	•			•	
Sandblast 600 ASLAN S 62	•	•			•	
Sandblast 330 ASLAN S 64	•	•			•	
Sandblast 230 ASLAN S 66	•	•			•	
Sandblast 180 ASLAN S 68	•	•			•	
Sandblast 80 ASLAN S 69	•				•	



ILLUMINATED SIGNS

OPAQUE SPECIAL FILMS

Blockout ASLAN W 15 and Blockout ASLAN W 16

This practically opaque PVC film in double-layer quality is especially designed for blocking out areas in illuminated advertising. Applied to light-emitting glass surfaces, such as shop fronts or windows, the self-adhesive film is also suitable for darkening rooms.

Blockout ASLAN W 15 and Blockout ASLAN W 16 are ideal for creating lettering and plotter cut logos/designs.



Product	Characteristics	Colour
Blockout ASLAN W 15	Blockout film	White film with black reverse side
Blockout ASLAN W 16		Black film with white reverse side

DIFFUSER FILM FOR IDEAL LIGHT DIFFUSION IN LIGHT BOXES

Diffuser ASLAN D 160

In thin light boxes, the light source can be very close to the front panel. This means that the light source is visible, making the illuminated surface look uneven. The Diffuser ASLAN D 160 film avoids this by spreading the light ideally and providing consistent illumination.



Product	Characteristics	Colour
Diffuser ASLAN D 160	Diffuser film for backlit signs and light boxes for optimal light distribution in shallow light boxes	Translucent, matt

QUICKFINDER
ILLUMINATED SIGNS

	INDOOR	OUTDOOR	ON GLASS AND SMOOTH SURFACES	ON FLOORS AND ROUGH SURFACES	PERMANENT	SEMI-PERMANENT	REMOVABLE	DRY APPLY
PRODUCT	APPLICATION				ADHESIVE			
Blockout ASLAN W 15	•	•	•				•	
Blockout ASLAN W 16	•	•	•				•	
Diffuser ASLAN D 160	•	•	•		•			



DOUBLE SIDED

SELF-ADHESIVE FILMS

With double-sided self-adhesive films from ASLAN, maps, prints, posters, plans and other non-adhesive materials can be quickly and easily transformed into high-quality, self-adhesive products. Our double-sided self-adhesive films with a pH-neutral adhesive are suitable for a wide variety of substrates. No spray adhesive is required for bonding.

The double-sided self-adhesive films are covered on both sides for easy manual application.



NEW FLEXIBLE, MONSTER-STRONG TRANSFER ADHESIVE

MonsterMount ASLAN MM 05


The transfer adhesive **MonsterMount ASLAN MM 05** has been specially developed to create reliable adhesive bonds between a wide range of materials. The double-sided covered transfer adhesive film with the same monster strong adhesive on both sides ensures a powerful bond between joining partners such as films, sheets or signs on a wide variety of substrates, even with low surface energy. Its solvent vapor and lubricating oil resistant properties make the robust transfer adhesive particularly suitable for applications where high stress is expected, such as on petrol pumps, agricultural machinery, powder-coated and plywood surfaces.

Product advantages

- transfer adhesive for flexible applications
- adhesive film covered on both sides with liner, monster-strong adhesive strength on both sides
- high immediate adhesion to most surfaces including low-energy materials

For the most difficult applications:

- resistant to solvent vapours, petrol, lubricating oils and moisture
- good UV resistance and outdoor durability
- application temperature from -10° C
- for smooth and rough surfaces
- good transparency with single-layer application
- no adhesive leakage (adhesive bleeding)
- available in small rolls as tape (15, 25 + 38 mm) as a special product
- PVC-, VOC- and solvent-free product



Product	Characteristics	Details
MonsterMount ASLAN MM 05	Permanent on both sides, monster strong adhesive	UV-cured transfer adhesive

DOUBLE SIDED SELF-ADHESIVE FILMS

MountFilm HighTack ASLAN DK 3 | MountFilm Remove ASLAN DK 4

This double-sided adhesive film is perfect for turning maps, prints, plans, posters and more into self-adhesive products.

The transparent, flexible film comes with liner on both sides.



Product	Characteristics	Details
MountFilm HighTack ASLAN DK 3	Side 1: permanent, with low initial tack, Side 2: permanent, very flexible	Transparent PVC film, covered on both sides, for self-adhesive labelling of printed products
MountFilm Remove ASLAN DK 4	Side 1: permanent, with low initial tack, Side 2: removable	

QUICKFINDER DOUBLE SIDED SELF ADHESIVE FILMS		INDOOR	OUTDOOR	PERMANENT	SEMI-PERMANENT	REMOVABLE	DRYAPPLY
PRODUCT	APPLICATION	ADHESIVE					
MonsterMount ASLAN MM 05		•	•	•			
MountFilm HighTack ASLAN DK 3		•		•			
MountFilm Remove ASLAN DK 4		•		•		•	



MOUNTING FILM AND TAPES

MOUNTING FILM AND APPLICATION TAPES FOR SIMPLE AND PRECISE TRANSFER OF LETTERINGS AND PRINTS


Product	Characteristics	Details	
ASLAN TMO	Mounting film	With backing, ideal for storing and shipping letterings, for multiple usage	
LowTackTape ASLAN TP 110	Paper tapes	Low adhesion, for transferring stencil films	
UniversalTape ASLAN TP 122		Medium adhesion, for universal applications	
HighTackTape ASLAN TP 136		Strong adhesion, for universal applications	
FilmicTape ASLAN TF 100	Filmic tapes	Universal tape	
Embossed FilmicTape ASLAN TF 105		Embossed tape, especially easy to laminate	
SuperTackTape ASLAN TF 200		Transfer film with liner for transferring the CaressColour ASLAN CC 124 and other films with textured surfaces	



QUICKFINDER
MOUNTING FILMS AND TAPES

	PERMANENT	SEMI-PERMANENT	REMOVABLE	DRY-APPLY	PVC FREE
PRODUCT	ADHESIVE				DETAILS
ASLAN TMO			•		
LowTackTape ASLAN TP 110			•		•
UniversalTape ASLAN TP 122			•		•
HighTackTape ASLAN TP 136			•		•
FilmicTape ASLAN TF 100			•		•
Embossed FilmicTape ASLAN TF 105			•		•
SuperTackTape ASLAN TF 200		•			•

TOOLS



ACCESSORIES FOR A PROFESSIONAL AND FAST APPLICATION



OF ASLAN FILMS



SQUEEGEES

Product	Characteristics	Colour	Size
WhiteSqueegee Felt ASLAN KRF 1	Plastic squeegees	White	10 cm
GoldSqueegee Felt ASLAN KRF 2		Gold, very flexible	10 cm
WhiteSqueegee ASLAN KR 1		White, with felt edge	10 cm
GoldSqueegee ASLAN KR 2		Gold, very flexible, with felt edge	10 cm
WoodSqueegee ASLAN FB 1	Wooden board squeegees, with felt edge	Small	15 cm
WoodSqueegee ASLAN FB 2		Large	26 cm
FeltSqueegee ASLAN FR 20	Felt squeegee	White, synthetic felt	20 cm

CUTTING TOOLS

Product	Characteristics	Colour
ASLAN Cutter	Universal cutting tool	Universal cutting knife, stable metal design
ASLAN EasyKnife	Stable cutting tool	Tool for cutting off film, very stable, with edge protection
ASLAN BodyGuardKnife Teflon	Stable special knife	Tool for separating the film from the liner




ACCESSORIES

Product	Characteristics	Colour
CleaningLiquid ASLAN AKR	Surface cleaner	For treatment of surfaces before applying films
TransferLiquid ASLAN TL 10	Transfer liquid	Concentrate 0.5 l
ASLAN C-pen	Liquid chalk pen	Ideal for use with PremiumBlackboard ASLAN BB 910, FerroSoft Blackboard ASLAN FF 540 and ClearChalk ASLAN CR 63

ASLAN SOCIAL MEDIA

Want to find out about the latest innovations we have developed for you, whether or not the folks in our region of Germany actually go to work in fancy dress during the carnival season, and at what trade shows you can meet us face to face?

Find answers to all these questions as well as application tips, photos, videos and more on Facebook, YouTube, LinkedIn and Instagram. Follow us!



ALL FILMS FROM A – Z

		Outdoor durability in years		Matt	Glossy	Thickness in µm	Film	Permanent	Semi-Permanent	Removable	Dryapply	PVC free	PCR PET	Indoor/outdoor- application	Width in m	Standard length in m	Additional length	Fire rating	Fire rating in com- bination with ASLAN MP 300 / MP 326	Slip resistance	Printability	Catalogue page
			Colour				Film	Adhesive							Dimensions			Fire rating				
AntiGraffiti ASLAN SL 95	Protective laminate with anti-graffiti protective coating, especially scratch-resistant	5	Clear		•	50	PET with special coating	•				•		I/A	1.37	50	25	•				42
ASLAN TMO	Mounting film with release liner, reusable		Clear			70	PVC			•					1.02 1.35	25	15					60
Blackboard ASLAN C 61	Blackboard film for chalk	2	Black	•		160	PVC		•					I/A	1.25	25						4
Blackboard AntiScratch ASLAN CR 62	Blackboard film, especially scratch-resistant, for chalk	2	Black	•		130	Embossed PVC film		•					I/A	1.37	25						4
Blockout ASLAN W 15	Blockout film – black adhesive side	7	White			130	PVC, polymeric			•				I/A	1.25	25						56
Blockout ASLAN W 16	Blockout film – white adhesive side	7	Black			130	PVC, polymeric			•				I/A	1.25	25						56
CaressColour ASLAN CC 124	Flocked self-adhesive decorative film		8 effects	•		400-450	PET, coated with flock		•			•		I	1.37	25	12.5				•*	21
Clearboard ASLAN CB 90	Scratch-resistant whiteboard film	5	Clear		•	50	PET with special coating	•				•		I/A	1.37	50		•				6
ClearboardMatt ASLAN CB 75	Scratch-resistant low-reflection whiteboard film	5	Translucent	•		80	PVC with special coating		•					I/A	1.37	50		•				6
ClearChalk ASLAN CR 63	Blackboard film for chalk and ASLAN C-pen	2	Clear	•		125	Embossed special-PVC film		•					I/A	1.37	25						4
ColourShift ASLAN SE 70	Dichroic film	2	2 dichroic effects		•	110	Polyester film with coating			•		•		I/A	1.37	50	12.5					19
ColourShift ASLAN SE 71	Opaque dichroic film	2	4 dichroic effects		•	160	PET		•			•		I/A	1.35	25						19
ColourShift Etched ASLAN SE 77	Dichroic film with etched glass look	2	2 dichroic effects		•	120	PET/PVC compound		•					I/A	1.37	25					•	10
Diffuser ASLAN D 160	Diffusion film for optimal light distribution	7	White, translucent	•		85	PVC, polymeric		•					I/A	1.35	50	25					56
Dusted ASLAN E 200	Film with dusted glass look	7	Translucent	•		80	PVC, polymeric		•					I/A	1.26	50						13
Dusted Dryapply ASLAN EL 200	Film with dusted glass look	7	Translucent	•		80	PVC, polymeric		•		•			I/A	1.26	50		•				12
Embossed FilmicTape ASLAN TF 105	Filmic tape, embossed		Clear			90	PP			•		•			1.22	100						60
Etched ASLAN E 300	Film with etched glass look	7	Translucent	•		80	PVC, polymeric		•					I/A	1.26	50	25					13
EtchedBoard Dryapply ASLAN EBL 300	Glass decoration film with matt whiteboard finish		Translucent	•		80	PVC with special coating		•		•			I	1.37	25		•				6
Etched Dryapply ASLAN EL 300	Film with etched glass look	7	Translucent	•		80	PVC, polymeric		•		•			I/A	1.26 1.52	50		•				12
FerroSoft ASLAN FF 410	Very flexible, magnet receptive ferrous film		Anthracite	•		410	Polyethylene-based ferrous film	•				•		I	1.01 1.37	12 9		•				5
FerroSoft Blackboard ASLAN FF 540	Flexible, magnet receptive ferrous film with blackboard finish		Black	•		540	Polyethylene-based ferrous film with PVC laminate	•						I	1.25	9					•	5
FerroSoft Print ASLAN FF 480	Flexible, printable, magnet receptive ferrous film		White	•		480	Polyethylene-based ferrous film with PVC laminate	•						I	1.01	12					•	5
FerroSoft Whiteboard ASLAN FF 550	Flexible, printable, magnet receptive ferrous film with whiteboard finish		White		•	550	Polyethylene-based ferrous film with PP laminate	•				•		I	1.01 1.37	12 9						5
FerroSoft Whiteboard Matt ASLAN FF 490	Flexible, magnet receptive ferrous film with whiteboard finish		White	•		490	Polyethylene-based ferrous film with PVC laminate	•						I	1.37	9						5
FilmicTape ASLAN TF 100	Filmic tape		Clear			110	LDPE			•		•			1.22 1.00	100						60
FloorProtect R9 ASLAN MP 326	Slip-resistance certification DIN 51130 and ASTM D 2047-04	Depending on mechanical wear	Clear	•		125	PVC	•						I/A	1.37	25		•		R9		39
FloorProtect R11 ASLAN MP 330	Rutschhemmklasse R11 nach DIN EN 16165, Anhänge B, C und D, ANSI A137.1/A326.3	Depending on mechanical wear	Transparent	•		170	PVC	•						I/A	1.37	25		•		R11		38
FluoColour ASLAN CL 70	Fluorescent films	9 12 month	Red Yellow		•	100	PVC with special coating		•					I/A	1.25	25						26
GalleryLAM ASLAN SL 98	Lamination film for increased colour brilliance	5	Transparent		•	125	PET					•		I/A	1.25	25		•				41
GlassColour ASLAN CT 113	Transparent coloured films	3-5	19 colours		•	80	PVC, monomeric		•					I/A	1.25	25					•	24
Hi!Tack Dryapply Grey ASLAN DFL 09G	Digital printing film, strongly adhesive even on low energy substrates, with ASLAN Dryapply technology	7	White		•	75	PVC, polymer	high tack						I/A	1.37	50					•	28
Hi!Tack Removable ASLAN DFP 10	Digital printing film, strongly adhesive even on low energy substrates, removable	7	White		•	75	PVC, polymer	high tack						I/A	1.37	50					•	28
HighTackTape ASLAN TP 136	Paper tape, high adhesion		White			115	Special paper			•					1.22	100						60
Holographic ASLAN SE 72	Seamless, double-sided, holographic effect	3	Rainbow colours		•	50	Polyester film with coating		•			•		I/A	1.01	25					•	17
HoloStripe ASLAN SE 74	Seamless, double-sided, holographic line effect		Rainbow colours		•	50	PET with coating		•			•		I/A	1.01	25					•	16
LifeTime Removable ASLAN DFP 40	For indoor applications, residue-free removal up to 12 months		White		•	80	PVC, monomeric			•				I	1.37	50					•	32
LifeTime Removable ASLAN DFP 41	For indoor applications, residue-free removal up to 12 months		Transparent		•	80	PVC, monomeric			•				I	1.37	50					•	32
LifeTime Removable ASLAN DFP 42	For indoor applications, residue-free removal up to 12 months		White	•		80	PVC, monomeric			•				I	1.37	50					•	32
LightboxPrint Dryapply ASLAN DFL 20	Highly translucent for easy dry application	7	White	•		90	PVC, polymeric		•		•			I/A	1.37 1.52	50					•	31
LoopLAM ASLAN SRL 19	Lamination film made with 70 % post-consumer recycled polyester	3	Clear		•	50	PCR PET (70 %)	•				•	•	I/A	1.37	50						49
LoopPET AntiGraffiti ASLAN SRL 96	Protective laminate with anti-graffiti protective coating, made with 70 % post-consumer recycled polyester	5	Clear		•	50	PCR PET (70 %)	•				•	•	I/A	1.37	50		•				49
LoopPET Clear ASLAN DRP 18	Digital printing film made with 70 % post-consumer recycled polyester	3	Clear		•	50	PCR PET (70 %)		•			•	•	I/A	1.37	50		•			•	48
LoopPET Clearboard ASLAN CRB 91	Scratch-resistant whiteboard film made with 70 % post-consumer recycled polyester	5	Clear		•	50	PCR PET (70 %)	•				•	•	I/A	1.37 1.52	50		•				50
LoopPET Dryapply ASLAN DRL 19	Digital printing film made with 30 % post-consumer recycled polyester	3	White		•	50	PCR PET (30 %)		•		•	•	•	I/A	1.37	50		•			•	48
LoopPET Metal ASLAN CRA 31	Printable metallic effect film with 70 % post-consumer recycled polyester	2	Silver Gold		•	50	PCR PET (70 %)		•			•	•	I/A	1.37	25		•			•	49
LoopPET UltraTack ASLAN DRP 07	Digital printing film made with 30 % post-consumer recycled polyester	3	White		•	50	PCR PET (30 %)	•				•	•	I/A	1.37	50					•	48
LowTackTape ASLAN TP 110	Paper tape, low adhesion		White			115	Special paper			•					1.22	100						60
MagicProtect Matt ASLAN SL 99	Matt protection film with paint-repellent effect	3	Clear	•		80	PVC, polymeric, with special coating	•						I/A	1.37	50		•				42
MetalColour ASLAN CA 24	Coloured metal effect films	2	5 effects		•	140	PET/PVC		•					I/A	1.22	24					•	18
MetalEffect ASLAN CA 23	Metal effect films	2 3-5	8 effects		•	50	PET		•			•		I/A	1.25	25		•				19
Milky ASLAN E 210	Film with milk glass look	7	Translucent	•		80	PVC, polymeric		•					I/A	1.26	50						13
Milky Dryapply ASLAN EL 210	Film with milk glass look	7	Translucent	•		80	PVC, polymeric		•		•			I/A	1.26 1.52	50		•				12
mipofolie P	Highly flexible matt film for protecting flat and folding maps		Transparent	•		80	PVC	•						I	1.20	25						44

Please read the technical data sheet for more information. Misprints and errors excepted.
* in flatbed printing. ** Durability depends on material combination (e.g. in combination with PP 3 years)

ALL FILMS FROM A – Z

		Outdoor durability in years	Colour	Matt	Glossy	Thickness in µm	Film	Permanent	Semi-Permanent	Removable	Dryapply	PVC free	PCR PET	Indoor/outdoor- application	Width in m	Standard length in m	Additional length	Fire rating	Fire rating in com- bination with ASLAN MP 300 / MP 326	Slip resistance	Printability	Catalogue page
			Colour				Film	Adhesive							Dimensions			Fire rating				
MirrorEffect AntiScratch	ASLAN SE 75	Double-sided, scratch-resistant mirror effect film	2-5	Silver Gold		•	75	PET		•		•		I/A	1.25	25		•				19
MirrorEffect SimplyApply	ASLAN SE 76	One-sided, scratch-resistant mirror effect film, simple to apply		Silver		•	75	PET		•		•		I	1.25	25						19
MonsterLAM	ASLAN SL 05	Extra thick gloss protective film for outdoor use	2	Clear		•	300	Special PVC	•					I/A	1.22	25						40
MonsterMount	ASLAN MM05	Flexible, monster-strong transfer adhesive covered on both sides	7**	Transparent			50	UV-cured transfer adhesive	monster tack					I/A	1.23	25						58
MonsterTack	ASLAN DFP 05	Monstrous adhesive strenghts for extremely difficult surfaces, for long-term application	7	White		•	70	PVC, polymeric	monster tack					I/A	1.37	50		•			•	30
MountFilm HighTack	ASLAN DK 3	Permant with low initial tack Permanent		Clear			70	PVC	•					I	1.35 1.02	25	15					58
MountFilm Remove	ASLAN DK 4	Permant with low initial tack Removable		Clear			70	PVC	•	•				I	1.35 1.02	25	15					58
PaintMask	ASLAN S 79	Stencil film for truck curtains and other smooth surfaces		Greygreen, translucent			80	PVC		•					1.25	50						52
PremiumBlackboard	ASLAN BB 910	Blackboard film for liquid chalk and chalk	5	Black	•		130	PVC film with special coating		•				I/A	1.25	25		•				4
PremiumColour	ASLAN C 118 Soft	Opaque premium colour films, for long-term use	7	18 glossy and 2 matt colours	•	•	70	PVC, polymeric		•				I/A	1.25	50	25					25
Premium FloorProtect R12	ASLAN MP 300	Slip-resistance certification DIN 51130 and DIN 51097	Depending on mechanical wear	Clear	•		140	PVC with coating	•					I/A	1.37	25		•		R12		39
PremiumMask	ASLAN 85 K	Stencil film for smooth surfaces		Grey, translucent			80	PVC		•					1.25	50						52
PremiumMask HighTack	ASLAN 85 G	Stencil film for smooth surfaces, with strong adhesion		Grey, translucent			80	PVC		•					1.25	50						52
PremiumProtect	ASLAN SL 17	Protective laminate for long-term outdoor use	7	Clear		•	75	PVC, polymeric	•					I/A	1.22 1.37 1.60	50						41
PremiumProtect Matt	ASLAN SL 18	Protective laminate for long-term outdoor use	7	Clear	•		75	PVC, polymeric	•					I/A	1.22 1.37 1.60	50						41
PrintDusted Dryapply	ASLAN DFL 200	Printable, translucent film with dusted glass look	7	Translucent	•		80	PVC, polymeric		•	•			I/A	1.26	50		•			•	12
PrintEtched Dryapply	ASLAN DFL 300	Printable, translucent film with etched glass look	7	Translucent	•		80	PVC, polymeric		•	•			I/A	1.37 1.52	50		•			•	12
PrintMetal	ASLAN CA 30	Metal effect films, printable	5	6 effects		•	140	PET/PVC	•					I/A	1.25	25					•	18
PrintMilky Dryapply	ASLAN DFL 210	Printable, translucent film with milk glass look	7	Translucent	•		80	PVC, polymeric		•	•			I/A	1.37	50		•			•	12
Print'nGo	ASLAN DFP 33	Print, apply, ready! R9 classified		White	•		125	PVC			•			I	1.37	25				R9	•	33
Print'nGo	ASLAN DFP 44	Print, apply, ready! R12 classified	Depending on mechanical wear	Transparent	•		140	PVC, polymeric		•				I	1.37	25				R12	•	33
Print'nGo Street	ASLAN DFP 36	Print, apply, ready! R9 classified	Depending on mechanical wear	White	•		125	PVC	•		•			I/A	1.37	25				R9	•	33
PrintSilverEtched Dryapply	ASLAN DFL 302	Printable, translucent film with silvery etched glass look	7	Translucent	•		80	PVC, polymeric		•	•			I/A	1.37 1.52	50		•			•	12
RearProjection	ASLAN RP 35	Rear projection film for clear surfaces	7	White, translucent	•		90	Special PVC		•				I/A	1.35	25	12.5					7
RearProjection Transparent	ASLAN RP 36	Rear projection film for clear surfaces	5	Transparent		•	50	Special PET		•		•		I/A	1.35	25	12.5					7
Sandblast 600	ASLAN S 62	Sandblasting film for very heavy-duty sandblasting on stone		Creme, translucent			600	PVC		•					1.25	10						53
Sandblast 330	ASLAN S 64	Sandblasting film for heavy-duty sandblasting on stone		Grey, opaque			330	PVC		•					1.25	25						53
Sandblast 230	ASLAN S 66	Sandblasting film for medium-duty sandblasting		White, opaque			230	PVC		•					1.25	25						53
Sandblast 180	ASLAN S 68	Sandblasting film for medium-duty sandblasting		Grey, transparent			180	PVC		•					1.25	25						53
Sandblast 80	ASLAN S 69	Sandblasting film for light sandblasting on glass		Grey green, transparent			80	PVC		•					1.25	50						53
SignTack Removable	ASLAN DFP 13G	Digital printing film for applications on PVC materials	Up to 3 month	White	•		80	PVC, monomeric			•			I/A	1.37	50					•	35
SilverEtched	ASLAN E 302	Translucent film with silvery etched glass look	7	Translucent	•		80	PVC, polymeric		•				I/A	1.26	50						13
SilverEtched Dryapply	ASLAN EL 302	Translucent film with silvery etched glass look	7	Translucent	•		80	PVC, polymeric		•	•			I/A	1.26 1.52	50		•				12
SoftTouch	ASLAN SL 109	Protective PP-laminate with a precious haptic		Clear	•		36	PP	•			•		I	1.37	50		•				41
SparkleColour	ASLAN SC 123	Glittering self-adhesive decorative film		Various effects		•	350	Polyester, coated with glitter particles		•				I	1.37	25					•*	20
SuperTack Tape	ASLAN TF 200	Transfer film for transferring the CaressColour ASLAN CC 124		Clear		•	50	PET		•		•			1.37	25	10					60
TextileMask	ASLAN S 390	For painting and spraying work on uncoated textiles, PVC free		Grey, translucent			180	PVC		•					1.25	25						52
UltraTack Transparent	ASLAN DFP 06	Extra strong adhesion even on non-polar surfaces, for long-term application	7	Transparent		•	75	PVC, polymeric	high tack					I/A	1.37	50		•			•	29
UltraTack	ASLAN DFP 07	Extra strong adhesion even on non-polar surfaces, for long-term application	7	White		•	75	PVC, polymeric	high tack					I/A	1.37	50		•			•	29
UltraTack Grey	ASLAN DFP 07G	Extra strong adhesion even on non-polar surfaces, for long-term application with grey adhesive	7	White		•	75	PVC, polymeric	high tack					I/A	1.37	50		•			•	29
UltraTack Matt	ASLAN DFP 08	Extra strong adhesion even on non-polar surfaces, for long-term application	7	White	•		75	PVC, polymeric	high tack					I/A	1.37	50		•			•	29
UltraTack Matt Grey	ASLAN DFP 08G	Extra strong adhesion even on non-polar surfaces, for long-term application with grey adhesive	7	White	•		75	PVC, polymeric	high tack					I/A	1.37	50		•			•	29
UniversalTape	ASLAN TP 122	Paper tape, medium adhesion		White			115	Special paper			•				1.22	100						60
WallMask	ASLAN S 41	Stencil film for rough walls and facades		Grey, translucent			80	PVC		•					1.25	50	25					52
Whiteboard	ASLAN WB 995	Scratch-resistant whiteboard film	5	White		•	150	PVC/PET with special coating	•					I/A	1.37	50	25	•				6
WhiteboardColour	ASLAN WBC 996	Scratch-resistant, coloured whiteboard films	5	6 colours		•	150	PVC/PET with special coating		•				I/A	1.22	24	12					6
Whiteboard Dryapply	ASLAN WBL 995	Scratch-resistant whiteboard film, for easy dry application	5	White		•	150	PVC/PET with special coating		•	•			I/A	1.37	50	25					6
WhiteboardMatt	ASLAN WB 975	Scratch-resistant, low-reflection whiteboard film, suitable for projection	5	White	•		80	PVC with special coating		•				I/A	1.37	50	25	•				6
Whiteboard PP Dryapply	ASLAN WBL 998	Scratch-resistant whiteboard film, for easy dry application		White		•	150	PP with special coating		•	•	•		I	1.37	50						6
WindowBlock	ASLAN DFP 25	Double-sided blackout film	3	White		•	180	PVC		•				I/A	1.37	25		•			•	31
WrapTheCarpet	ASLAN DFP 49	For short pile carpets	Depending on mechanical wear	White		•	150	PET/PVC		•				I	1.37	25			•		•	33
WrapTheFloor	ASLAN DFP 47	For tiles and polished natural stone, residue-free removal	Depending on mechanical wear	White		•	150	PET/PVC		•				I/A	1.37	25			•		•	33
WrapTheHouse	ASLAN DFP 45	For rough facades, removable up to 6 months	3	White		•	80	PVC	•	•				I/A	1.37	25					•	32
WrapTheStreet	ASLAN DFP 46	Ideal for asphalt and pavements, removable up to 6 months	Depending on mechanical wear	White		•	80	PVC	•	•				I/A	1.37	25			•		•	33

Please read the technical data sheet for more information. Misprints and errors excepted.
* in flatbed printing, ** Durability depends on material combination (e.g. in combination with PP 3 years)



5125

For more information please visit

www.aslanfolien.de



Please contact us

phone +49 2204 708 80

e-mail info@aslanfolien.de

ASLAN® 
EXPERTISE IN SELF-ADHESIVE FILMS