Media Certification for HP Latex

Evaluation Report





Vendor Name*

ASLAN, Schwarz GmbH & Co. KG

Date of evaluation

2017-11-23

Platform

Latex 300-series

Substrate Information

Substrate Name

PrintEtched Dryapply ASLAN DFL 300

Lot Number

N.A.

Substrate Type

Self Adhesive Vinyl

Substrate Sub Type

Translucent / Frosted vinyl

Thickness / Weight

80 µm

Certification Number

November 23, 2017 - 34346

Qualification

PASS

Certification Center

Color Concepts Netherlands

Profiling Process

Printer	Ink	RIP	Quality	Direction	Saturation
HP Latex 360	HP Latex 831	Any - RIP Independent -	16 pass	Bi	170%
Drying Temp.		Ink Limit	Vacuum	WUDTO	PMIN
N.A.		N.A.	30	N.A.	N.A.
Airflow		Curing Temp.	OMAS		
175		105C	N.A.		

Image Quality

Color Gamut	L*min	Area Fill Uniformity
694916	2.7	Average

Media Printer Interaction

Ink Transfer	Marks	Wrinkles	Dim. Stability	Rewetting
N.A.	Good	Good	-0.22	No

Image Handle Ability

Folding/Creasing	Scratchability	Dry Rub	wet Rub	Cross Cut	ink Adnesion	ink Cracking
N.A.	5	Average	Good	N.A.	Good	N.A.
Ink Transfer	Waterfastness					

Overall Qualification

Water resistant

PASS

N.A.

Comments



