



Farbkarte | Colour Card

Glassline

Selbstklebefolien für Glasgestaltungen

Self-adhesive films for glass designs

ASLAN[®]

KOMPETENZ IN SELBSTKLEBEFOLIEN

Die ASLAN Glassline: Produktübersicht

The ASLAN glassline: product overview

Produkt Product			Eigenschaften Characteristics		Haltbarkeit Durability	Länge (m) Length (m)	Breite (m) Width (m)
Glasdekorfolien für besonders leichte Trockenverklebungen Glass decoration films for especially easy dry application							
Etched Dryapply	ASLAN EL 300	Dryapply	Polymer Polymeric		7	50	1,26 1,52
SilverEtched Dryapply	ASLAN EL 302	Dryapply	Polymer Polymeric		7	50	1,26 1,52
Dusted Dryapply	ASLAN EL 200	Dryapply	Polymer Polymeric		7	50	1,26
Milky Dryapply	ASLAN EL 210	Dryapply	Polymer Polymeric		7	50	1,26 1,52
Glasdekorfolien für den Digitaldruck Glass decoration films for digital printing							
PrintEtched Dryapply	ASLAN DFL 300	Dryapply	Polymer, bedruckbar Polymeric, printable		7	50	1,37 1,52
PrintSilverEtched Dryapply	ASLAN DFL 302	Dryapply	Polymer, bedruckbar Polymeric, printable		7	50	1,37 1,52
PrintDusted Dryapply	ASLAN DFL 200	Dryapply	Polymer, bedruckbar Polymeric, printable		7	50	1,26
PrintMilky Dryapply	ASLAN DFL 210	Dryapply	Polymer, bedruckbar Polymeric, printable		7	50	1,37
Glasdekorfolien für universelle Verklebungen Glass decoration films for universal applications							
Etched	ASLAN E 300		Polymer Polymeric		7	50	1,26
SilverEtched	ASLAN E 302		Polymer Polymeric		7	50	1,26
Dusted	ASLAN E 200		Polymer Polymeric		7	50	1,26
Milky	ASLAN E 210		Polymer Polymeric		7	50	1,26
Wiederbeschreibbare Glasdekorfolie zur leichten Trockenverklebung Re-writable glass decoration film for easy dry application							
EtchedBoard Dryapply	ASLAN EBL 300	Dryapply	Polymer, Whiteboard-Oberfläche Polymeric, dry-erase surface			25	1,37
Bedruckbare Glasdekorfolie aus recyceltem Polyester Printable glass decoration film made from recycled polyester							
LoopPET Etched	ASLAN ER 165	PCR PET	PCR PET (PET-Obermaterial aus mindestens 70 % Post-Consumer-Rezyklat), bedruckbar mit UV-härtenden Tinten PCR PET (PET face film containing at least 70 % post-consumer recycled PET), printable with UV curable inks		2	50	1,37
Bedruckbare Glasdekorfolie aus recyceltem Polyester zur leichten Trockenverklebung Printable glass decoration film made from recycled polyester for easy dry application							
LoopPET Etched Dryapply	ASLAN ERL 165	Dryapply PCR PET	PCR PET (PET-Obermaterial aus mindestens 70 % Post-Consumer-Rezyklat), bedruckbar mit UV-härtenden Tinten PCR PET (PET face film containing at least 70 % post-consumer recycled PET), printable with UV curable inks		3*	50	1,37
Transparente, dichroitische Folien in zwei Farbversionen Transparent dichroic films in two colour versions							
ColourShift	ASLAN SE 70	PVC free	Farbwechselnde Folie Colour shifting film		2	50 12,5	1,37
Bedruckbare dichroitische Folien in Ätzglasoptik in zwei Farbversionen Printable dichroic films with etched glass effect in two colour versions							
ColourShift Etched	ASLAN SE 77		PET/PVC-Verbund PET/PVC compound		3	25	1,37
Transparente Farbfolie für kreative Gestaltungen auf Glas Transparent colour film for creative glass designs							
GlassColour	ASLAN CT 113		Monomer, bedruckbar Monomeric, printable		3 - 5	25	1,25
* LoopPET Etched Dryapply ASLAN ERL 165 ist nur für Innenverklebungen freigegeben. LoopPET Etched Dryapply ASLAN ERL 165 is approved for indoor applications only.							
Die ASLAN Dryapply-Technologie The ASLAN Dryapply technology							

Die einzigartige **ASLAN Dryapply-Technologie** macht die Verklebung besonders einfach und schnell. Eine mit feinsten Luftkanälen durchzogene Struktur garantiert eine blasenfreie Verklebung ohne die Verwendung von Flüssigkeit. Durch einen speziellen Kleber und Materialaufbau kann die Folie während der Verklebung leicht und ohne Weißbruch korrigiert werden. Nach erfolgter Verklebung fließt der Kleber auf und die Klebkraft steigt an, sodass die Folie auch für langfristige Anwendungen ideal geeignet ist.

The unique **ASLAN Dryapply technology** makes application particularly quick and easy. A special structure with extremely fine air release channels guarantees bubble-free application without using liquid. This structure, combined with a special adhesive, allows easy repositioning during application without risk of damage (stress whitening). After application, the adhesive wets out and the adhesive strength increases, making the film ideal even for long-term applications.

GLASDEKORFOLIEN | GLASS DECORATION FILMS

DICHROITISCHE FOLIEN DICHROIC FILMS

FÜR LEICHTE TROCKENVERKLEBUNGEN | FOR EASY DRY APPLICATION

Etched Dryapply ASLAN EL 300
PrintEtched Dryapply ASLAN DFL 300



Dryapply

SilverEtched Dryapply ASLAN EL 302
PrintSilverEtched Dryapply ASLAN DFL 302



Dryapply

Dusted Dryapply ASLAN EL 200
PrintDusted Dryapply ASLAN DFL 200



Dryapply

Milky Dryapply ASLAN EL 210
PrintMilky Dryapply ASLAN DFL 210



Dryapply

FÜR UNIVERSELLE VERKLEBUNGEN | FOR UNIVERSAL APPLICATIONS

Etched ASLAN E 300



SilverEtched ASLAN E 302



Dusted ASLAN E 200



Milky ASLAN E 210



TRANSPARENT

ColourShift ASLAN SE 70 **PVC free**

13141S



13140S



ÄTZGLASOPTIK, BEDRUCKBAR
ETCHED GLASS LOOK, PRINTABLE

ColourShift Etched ASLAN SE 77

13155S



13156S



WHITEBOARD-GLASDEKORFOLIE | DRY-ERASE GLASS DECORATION FILM



EtchedBoard Dryapply ASLAN EBL 300

Dryapply

LoopPET Etched Dryapply ASLAN ERL 165



PCR PET
Dryapply

LoopPET Etched ASLAN ER 165



PCR PET

70 % PCR PET

GlassColour ASLAN CT 113



